

**Springwater Trail
Clackamas County, OR
Rugg Road to Boring, OR
T1S R3E S**

Compiled by Paul Slichter. Updated July 20, 2011
Flora Northwest: <http://science.halleyhosting.com>

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|-------------------------------|---|------------------|
| Vine Maple | <i>Acer circinatum</i> | Aceraceae |
| Bigleaf Maple | <i>Acer macrophyllum</i> | Aceraceae |
| Queen Anne's Lace | <i>Daucus carota</i> | Apiaceae |
| Water Parsley | <i>Oenanthe sarmentosa</i> | Apiaceae |
| Spreading Dogbane | <i>Apocynum androsaefolium</i> | Apocynaceae |
| English Holly | <i>Ilex aquifolium</i> | Aquifoliaceae |
| English Ivy | <i>Hedera (helix ?)</i> | Araliaceae |
| Common Burdock | <i>Arctium minus</i> | Asteraceae |
| Tyrol Knapweed | <i>Centaurea nigrescens</i> | Asteraceae |
| Canada Thistle | <i>Cirsium arvense</i> | Asteraceae |
| Bull Thistle | <i>Cirsium vulgare</i> | Asteraceae |
| Marsh Cudweed | <i>Gnaphalium uliginosum</i> | Asteraceae |
| False Dandelion | <i>Hypochaeris radicata</i> | Asteraceae |
| Prickly Lettuce | <i>Lactuca serriola</i> | Asteraceae |
| Nipplewort | <i>Lapsana communis</i> | Asteraceae |
| Oxeye Daisy | <i>Leucanthemum vulgare</i> | Asteraceae |
| Pineappleweed | <i>Matricaria discoidea</i> | Asteraceae |
| Tansy Ragwort | <i>Senecio jacobaea</i> | Asteraceae |
| Prickly Sow-thistle | <i>Sonchus asper</i> | Asteraceae |
| Common Dandelion | <i>Taraxacum officinale</i> | Asteraceae |
| Yellow Salsify | <i>Tragopogon dubius</i> | Asteraceae |
| Cascade Oregon Grape | <i>Berberis nervosa</i> | Berberidaceae |
| Inside-out Flower | <i>Vancouveria hexandra</i> | Berberidaceae |
| Red Alder | <i>Alnus rubra</i> | Betlaceae |
| California Hazelnut | <i>Corylus cornuta v. californica</i> | Betulaceae |
| Yellow and Blue Scorpiongrass | <i>Myosotis discolor</i> | Boraginaceae |
| Common Comfrey | <i>Symphytum officinale</i> | Boraginaceae |
| Hairy Bittercress | <i>Cardamine hirsuta</i> | Brassicaceae |
| Slender Toothwort | <i>Cardamine nuttallii v. nuttallii</i> | Brassicaceae |
| Orange Honeysuckle | <i>Lonicera ciliosa</i> | Caprifoliaceae |
| Black Elderberry | <i>Sambucus racemosa v. melanocarpa</i> | Caprifoliaceae |
| Common Snowberry | <i>Symphoricarpos albus v. laevigatus</i> | Caprifoliaceae |
| High-bush Cranberry | <i>Viburnum edule ?</i> | Caprifoliaceae |
| Deptford Pink | <i>Dianthus armeria</i> | Caryophyllaceae |
| Creek Dogwood | <i>Cornus sericea</i> | Cornaceae |
| Hedge Bindweed | <i>Calystegia sepium ssp. angulata</i> | Convolvulaceae |
| Western Red Cedar | <i>Thuja plicata</i> | Cupressaceae |
| Slough Sedge | <i>Carex obnupta</i> | Cyperaceae |
| Sedge | <i>Carex sp.</i> | Cyperaceae |
| Bracken Fern | <i>Pteridium aquilinum</i> | Dennstaedtiaceae |
| Teasel | <i>Dipsacus sylvestris</i> | Dipsacaceae |

| | | |
|----------------------------|--|-----------------|
| Northwestern Lady Fern | <i>Athyrium filix-femina</i> v. <i>cyclosorum</i> | Dryopteridaceae |
| Western Swordfern | <i>Polystichum munitum</i> | Dryopteridaceae |
| Salal | <i>Gaultheria shallon</i> | Ericaceae |
| Red Huckleberry | <i>Vaccinium parvifolium</i> | Ericaceae |
| Scot's Broom | <i>Cytisus scoparius</i> | Fabaceae |
| Bird'sfoot Trefoil | <i>Lotus corniculatus</i> | Fabaceae |
| Red Clover | <i>Trifolium pratense</i> | Fabaceae |
| White Clover | <i>Trifolium repens</i> | Fabaceae |
| Subterranean Clover | <i>Trifolium subterraneum</i> | Fabaceae |
| Smooth Tare ? | <i>Vicia tetrasperma</i> ? | Fabaceae |
| Common Vetch | <i>Vicia sativa</i> | Fabaceae |
| Pacific Bleeding Heart | <i>Dicentra formosa</i> | Fumariaceae |
| Dove'sfoot Geranium | <i>Geranium molle</i> | Geraniaceae |
| Robert Geranium | <i>Geranium robertianum</i> | Geraniaceae |
| Pacific Waterleaf | <i>Hydrophyllum tenuipes</i> | Hydrophyllaceae |
| Oregon Phacelia | <i>Phacelia nemoralis</i> ssp. <i>oregonensis</i> | Hydrophyllaceae |
| Klamath Weed | <i>Hypericum perforatum</i> | Hypericaceae |
| Yellow Flag ? | <i>Iris (pseudacoris?)</i> | Iridaceae |
| Common Rush | <i>Juncus effusus</i> | Juncaceae |
| Woodrush | <i>Luzula</i> sp. | Juncaceae |
| Self Heal | <i>Prunella vulgaris vulgaris</i> | Lamiaceae |
| Great Hedgenettle | <i>Stachys chamissonis</i> | Lamiaceae |
| Western Wakerobin | <i>Trillium ovatum</i> | Liliaceae |
| California False Hellebore | <i>Veratrum californicum</i> (v. ?) | Liliaceae |
| Oregon Ash | <i>Fraxinus latifolia</i> | Oleaceae |
| Fireweed | <i>Chamerion angustifolium</i> | Onagraceae |
| Enchanter's Nightshade | <i>Circaea alpina</i> | Onagraceae |
| Pacific Willowherb | <i>Epilobium ciliatum</i> (ssp. <i>watsonii</i> ?) | Onagraceae |
| Oregon Wood-sorrel | <i>Oxalis oregana</i> | Oxalidaceae |
| Douglas Fir | <i>Pseudotsuga menziesii</i> | Pinaceae |
| English Plantain | <i>Plantago lanceolata</i> | Plantaginaceae |
| Common Plantain | <i>Plantago major</i> | Plantaginaceae |
| Meadow Foxtail ? | <i>Alopecurus pratensis</i> ? | Poaceae |
| Orchard Grass | <i>Dactylis glomerata</i> | Poaceae |
| Annual Bluegrass | <i>Poa annua</i> | Poaceae |
| Common Knotweed | <i>Polygonum aviculare</i> (ssp. <i>depressum</i> ?) | Polygonaceae |
| Licorice Fern | <i>Polypodium glycyrrhiza</i> | Polypodiaceae |
| Siberian Springbeauty | <i>Claytonia sibirica</i> | Portulacaceae |
| Creeping Buttercup | <i>Ranunculus repens</i> | Ranunculaceae |
| Little Buttercup | <i>Ranunculus uncinatus</i> | Ranunculaceae |
| Cascara | <i>Rhamnus purshiana</i> | Rhamnaceae |
| Common Hawthorn | <i>Crataegus monogyna</i> | Rosaceae |
| Woodland Strawberry | <i>Fragaria vesca</i> ssp. <i>bracteata</i> | Rosaceae |
| Largeleaf Avens | <i>Geum macrophyllum</i> v. <i>macrophyllum</i> | Rosaceae |
| Creambush Oceanspray | <i>Holodiscus discolor</i> | Rosaceae |
| Western Crabapple | <i>Malus fusca</i> | Rosaceae |
| Domestic Apple | <i>Malus x domestica</i> | Rosaceae |
| Western Ninebark | <i>Physocarpus capitatus</i> | Rosaceae |
| Sulfur flower Cnquefoil | <i>Potentilla recta</i> | Rosaceae |

| | | |
|------------------------|---|------------------|
| Sweet Cherry ? | <i>Prunus avium</i> ? | Rosaceae |
| Pearhip Rose | <i>Rosa woodsii</i> var. <i>ultramontana</i> | Rosaceae |
| Himalayan Blackberry | <i>Rubus armeniacus</i> | Rosaceae |
| Evergreen Blackberry | <i>Rubus laciniatus</i> | Rosaceae |
| Thimbleberry | <i>Rubus parviflorus</i> | Rosaceae |
| Dewberry | <i>Rubus ursinus</i> | Rosaceae |
| Douglas' Spiraea | <i>Spiraea douglasii</i> v. <i>douglasii</i> | Rosaceae |
| Annual Bedstraw | <i>Galium aparine</i> v. <i>echinospermum</i> | Rubiaceae |
| Willow | <i>Salix</i> sp. | Salicaceae |
| Fringecups | <i>Tellima grandiflora</i> | Saxifragaceae |
| Foxglove | <i>Digitalis purpurea</i> | Scrophulariaceae |
| Dwarf Owlclover | <i>Triphysaria pusilla</i> | Scrophulariaceae |
| American Brooklime | <i>Veronica americana</i> | Scrophulariaceae |
| Thyme-leaved Speedwell | <i>Veronica serpyllifolia</i> v. <i>serpyllifolia</i> ? | Scrophulariaceae |
| Stinging Nettles | <i>Urtica dioica</i> | Urticaceae |
| Pioneer Violet | <i>Viola glabella</i> | Violaceae |