

**Cedar Grove Trail #203A
Malheur National Forest
Grant County, OR**

T16S R28E S22 (SE1/4)

Compiled by Paul Slichter. Updated January 5, 2011

Flora Northwest: <http://science.halleyhosting.com>

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|-------------------------|---|-----------------|
| Gorman's Desert Parsley | <i>Lomatium gormanii</i> | Apiaceae |
| Desert Parsley | <i>Lomatium leptocarpum</i> | Apiaceae |
| Desert Parsley | <i>Lomatium</i> sp. (similar to above but with white flowers) | Apiaceae |
| Desert Parsley | <i>Lomatium</i> species (like <i>L. piperi</i> but w/ yellow flowers) | Apiaceae |
| Mountain Sweet-cicely | <i>Osmorhiza berteroi</i> | Apiaceae |
| Sierra Snake Root | <i>Sanicula graveolens</i> | Apiaceae |
| Yarrow | <i>Achillea millefolium</i> | Asteraceae |
| Pathfinder | <i>Adenocaulon bicolor</i> | Asteraceae |
| Woodrush Pussytoes | <i>Antennaria luzuloides</i> | Asteraceae |
| Raceme Pussytoes | <i>Antennaria racemosa</i> | Asteraceae |
| Heart-leaf Arnica | <i>Arnica cordifolia</i> | Asteraceae |
| Nodding Arnica | <i>Arnica parryi</i> | Asteraceae |
| Arrowleaf Balsamroot | <i>Balsamorhiza sagittata</i> | Asteraceae |
| Intermountain Thistle | <i>Cirsium inamoenum</i> v. <i>inamoenum</i> ? | Asteraceae |
| Slender Hawksbeard | <i>Crepis atrabarba</i> | Asteraceae |
| Hawksbeard | <i>Crepis</i> sp. | Asteraceae |
| Eaton's Fleabane | <i>Erigeron eatonii</i> v. <i>villosus</i> | Asteraceae |
| Rocky Mt. Helianthella | <i>Helianthella uniflora</i> | Asteraceae |
| White-flowered Hawkweed | <i>Hieracium albiflorum</i> | Asteraceae |
| Slender Hawkweed | <i>Hieracium gracile</i> ? | Asteraceae |
| Woolly-weed | <i>Hieracium scouleri</i> | Asteraceae |
| Nodding Microseris | <i>Microseris nutans</i> | Asteraceae |
| Western Groundsel | <i>Senecio integerrimus</i> v. <i>exaltatus</i> | Asteraceae |
| Creeping Oregon Grape | <i>Berberis repens</i> | Berberidaceae |
| Blue Stickseed | <i>Hackelia micrantha</i> | Boraginaceae |
| Long-flowered Bluebells | <i>Mertensia longiflora</i> | Boraginaceae |
| Holboell's Rockcress | <i>Arabis holboellii</i> v. <i>retrofracta</i> | Brassicaceae |
| Small-leaved Rockcress | <i>Arabis microphylla</i> | Brassicaceae |
| Twinflower | <i>Linnaea borealis</i> | Caprifoliaceae |
| Common Snowberry | <i>Symphoricarpos albus</i> | Caprifoliaceae |
| Mountain Snowberry | <i>Symphoricarpos oreophilus</i> | Caprifoliaceae |
| Large-leaf Sandwort | <i>Moehringia macrophylla</i> | Caryophyllaceae |
| Menzie's Campion | <i>Silene menziesii</i> v. <i>menziesii</i> | Caryophyllaceae |
| Oregon Silene | <i>Silene oregana</i> | Caryophyllaceae |
| Crisped Starwort | <i>Stellaria crispa</i> | Caryophyllaceae |
| Oregon Boxwood | <i>Paxistima myrsinites</i> | Celastraceae |
| Lance-leaved Stonecrop | <i>Sedum lanceolatum</i> | Crassulaceae |
| Worm-leaf Stonecrop | <i>Sedum stenopetalum</i> | Crassulaceae |
| Alaska Yellow Cedar | <i>Chamaecyparis nootkatensis</i> | Cupressaceae |
| Western Juniper | <i>Juniperus occidentalis</i> | Cupressaceae |
| Elk Sedge | <i>Carex geyeri</i> | Cyperaceae |

| | | |
|-------------------------------|---|-----------------|
| Buffaloberry | <i>Shepherdia canadensis</i> | Elaeagnaceae |
| Horsetail | <i>Equisetum</i> sp. | Equisetaceae |
| Pinemat Manzanita | <i>Arctostaphylos nevadensis</i> (or <i>uva-ursi</i> ?) | Ericaceae |
| Prince's Pine | <i>Chimaphila umbellata</i> | Ericaceae |
| Sidebells Pyrola | <i>Orthilia secunda</i> | Ericaceae |
| Lesser Wintergreen | <i>Pyrola minor</i> | Ericaceae |
| White-vein Pyrola | <i>Pyrola picta</i> | Ericaceae |
| Big Huckleberry | <i>Vaccinium membranaceum</i> | Ericaceae |
| Grouseberry | <i>Vaccinium scoparium</i> | Ericaceae |
| Tailcup Lupine | <i>Lupinus argenteus</i> v. <i>heteranthus</i> | Fabaceae |
| Broad-leaved Lupine | <i>Lupinus laifolius</i> v. <i>latifolius</i> | Fabaceae |
| Burke's Lupine | <i>Lupinus polyphyllus</i> v. <i>burkei</i> | Fabaceae |
| Stink Currant | <i>Ribes hudsonianum</i> v. <i>petolare</i> | Grossulariaceae |
| Prickly Currant | <i>Ribes lacustre</i> | Grossulariaceae |
| Sticky Gooseberry | <i>Ribes viscosissimum</i> | Grossulariaceae |
| Ball-head Waterleaf | <i>Hydrophyllum capitatum</i> (v. ?) | Hydrophyllaceae |
| Grass Widow | <i>Sisyrinchium inflatum</i> | Iridaceae |
| Nettle-leaf Horse-mint | <i>Agastache urticifolia</i> | Lamiaceae |
| Tolmie's Onion | <i>Allium tolmiei</i> | Liliaceae |
| Slender-fruited Mariposa Lily | <i>Calochortus eurycarpus</i> | Liliaceae |
| Green-banded Mariposa Lily | <i>Calochortus macrocarpus</i> v. <i>macrocarpus</i> | Liliaceae |
| Bead Lily | <i>Clintonia uniflora</i> | Liliaceae |
| Glacier Lily | <i>Erythronium grandiflorum</i> v. <i>grandiflorum</i> | Liliaceae |
| Yellow Bells | <i>Fritillaria pudica</i> | Liliaceae |
| False Solomon Seal | <i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> | Liliaceae |
| Starflower False Solomon Seal | <i>Maianthemum stellatum</i> | Liliaceae |
| Roughfruit Fairy Bells | <i>Prosartes tracycarpa</i> | Liliaceae |
| Clasping-leaf Twisted Stalk | <i>Streptopus amplexifolius</i> | Liliaceae |
| Douglas' Brodiaea | <i>Tritelia grandiflora</i> v. <i>grandiflora</i> | Liliaceae |
| False Hellebore | <i>Veratrum (californicum</i> v. <i>californicum</i> ?) | Liliaceae |
| Panicle Deathcamas | <i>Toxicoscordion paniculatum</i> | Liliaceae |
| Fireweed | <i>Chamerion angustifolium</i> | Onagraceae |
| Enchanter's Nightshade | <i>Circaea alpina</i> | Onagraceae |
| Diamond Clarkia | <i>Clarkia rhomboidea</i> | Onagraceae |
| Common Willowherb ? | <i>Epilobium ciliatum</i> ssp. <i>glandulosum</i> ? | Onagraceae |
| Purple-leaved Willowherb ? | <i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> ? | Onagraceae |
| Fairy Slipper Orchid | <i>Calypso bulbosa</i> | Orchidaceae |
| Spotted Coral-root | <i>Corallorhiza maculata</i> | Orchidaceae |
| Mountain Lady Slipper | <i>Cypripedium montanum</i> | Orchidaceae |
| Rattlesnake-plantain Orchid | <i>Goodyera oblongifolia</i> | Orchidaceae |
| Broad-lipped Twayblade | <i>Listera convallarioides</i> | Orchidaceae |
| Rein Orchid: | <i>Piperia unalascensis</i> | Orchidaceae |
| Grand Fir | <i>Abies grandis</i> | Pinaceae |
| Western Larch | <i>Larix occidentalis</i> | Pinaceae |
| Lodgepole Pine | <i>Pinus contorta</i> v. <i>latifolia</i> | Pinaceae |
| Ponderosa Pine | <i>Pinus ponderosa</i> | Pinaceae |
| Douglas Fir | <i>Pseudotsuga menziesii</i> v. <i>menziesii</i> | Pinaceae |
| Meadow Brome | <i>Bromus commutatus</i> | Poaceae |
| Columbia Brome | <i>Bromus vulgaris</i> | Poaceae |

| | | |
|-------------------------------|---|------------------|
| Western Fescue | <i>Festuca occidentalis</i> | Poaceae |
| Alaska Oniongrass | <i>Melica subulata</i> | Poaceae |
| Sandberg's Bluegrass | <i>Poa secunda</i> (<i>P. sandbergii</i>) | Poaceae |
| Large-flowered Collomia | <i>Collomia grandiflora</i> | Polemoniaceae |
| Tall Buckwheat | <i>Eriogonum elatum</i> | Polygonaceae |
| Sulphur Buckwheat ? | <i>Eriogonum umbellatum</i> v. <i>umbellatum</i> ? | Polygonaceae |
| Broom Buckwheat | <i>Eriogonum vimineum</i> | Polygonaceae |
| Lance-leaved Spring Beauty | <i>Claytonia lanceolata</i> | Portulacaceae |
| Miner's Lettuce | <i>Claytonia perfoliata</i> | Portulacaceae |
| Baneberry | <i>Actaea rubra</i> | Ranunculaceae |
| Red Columbine | <i>Aquilegia formosa</i> | Ranunculaceae |
| Upland Larkspur | <i>Delphinium nuttallianum</i> v. <i>nuttallianum</i> | Ranunculaceae |
| Sagebrush Buttercup | <i>Ranunculus glaberrimus</i> (v. ?) | Ranunculaceae |
| Little Buttercup | <i>Ranunculus uncinatus</i> | Ranunculaceae |
| Western Meadow Rue | <i>Thalictrum occidentale</i> | Ranunculaceae |
| Curl-leaf Mt. Mahogany | <i>Cercocarpus ledifolius</i> | Rosaceae |
| Woods Strawberry | <i>Fragaria vesca</i> ssp. <i>bracteosa</i> | Rosaceae |
| Sticky Cinquefoil | <i>Potentilla glandulosa</i> | Rosaceae |
| Bittercherry | <i>Prunus emarginata</i> v. <i>emarginata</i> | Rosaceae |
| Little Wild Rose | <i>Rosa gymnocarpa</i> | Rosaceae |
| Thimbleberry | <i>Rubus parviflorus</i> | Rosaceae |
| Annual Bedstraw | <i>Galium aparine</i> v. <i>echinospermum</i> | Rubiaceae |
| Fragrant Bedstraw | <i>Galium triflorum</i> | Rubiaceae |
| Bulblet Prairie Star | <i>Lithophragma bulbifera</i> | Saxifragaceae |
| Cross-shaped Mitrewort | <i>Mitella stauropetala</i> | Saxifragaceae |
| Brook Saxifrage | <i>Saxifraga odontoloma</i> | Saxifragaceae |
| Harsh Paintbrush | <i>Castilleja hispida</i> v. | Scrophulariaceae |
| Narrow-leaved Paintbrush | <i>Castilleja linariifolia</i> | Scrophulariaceae |
| Small-flowered Blue-eyed Mary | <i>Collinsia parviflora</i> | Scrophulariaceae |
| Musk Monkeyflower | <i>Mimulus moschatus</i> | Scrophulariaceae |
| Bracted Lousewort | <i>Pedicularis bracteosa</i> ? | Scrophulariaceae |
| Sickle-top Lousewort | <i>Pedicularis racemosa</i> | Scrophulariaceae |
| Showy Penstemon | <i>Penstemon speciosus</i> | Scrophulariaceae |
| American Brooklime | <i>Veronica americana</i> | Scrophulariaceae |
| Sitka Valerian | <i>Valeriana sitchensis</i> | Valerianaceae |
| Round-leaved Violet | <i>Viola orbiculata</i> | Violaceae |
| Prairie Violet | <i>Viola praemorsa</i> v. <i>linguifolia</i> ? | Violaceae |
| Goosefoot Violet | <i>Viola purpurea</i> ssp. <i>venosa</i> | Violaceae |
| Northwestern Lady Fern | <i>Athyrium filix-femina</i> ssp. <i>cyclosorum</i> | Woodsiaceae |
| Western Woodsia | <i>Woodsia oregana</i> | Woodsiaceae |

Bryophytes of the Cedar Grove

| | | |
|-------------------------|-----------------------------------|------------------|
| Cold Brachythecium Moss | <i>Brachythecium frigidum</i> | Brachytheciaceae |
| Eurhynchium Moss | <i>Eurhynchium</i> sp. | Brachytheciaceae |
| Bryum Moss | <i>Bryum</i> ~ <i>creberrimum</i> | Bryaceae |
| Pohlia Moss | <i>Pohlia</i> sp. | Bryaceae |
| Liverwort | <i>Cephalozia lunulifolia</i> | Cephaloziaceae |
| Funaria Moss | <i>Funaria hygrometrica</i> | Funariaceae |
| Liverwort | <i>Chiloscyphus polyanthos</i> | Geocalycaceae |

| | | |
|---------------------|----------------------------------|---------------------|
| Liverwort | Jungermannia leiantha | Jungermanniaceae |
| Liverwort | Lophozia ventricosa | Jungermanniaceae |
| Liverwort | Lepidozia reptans | Lepidoziaceae |
| Liverwort | Marchantia polymorpha | Marchantiaceae |
| Moss | Mnium blytii (or M. marginatum?) | Mniaceae |
| Plagiomnium Moss | Plagiomnium sp. | Mniaceae |
| Liverwort | Pellia sp. | Pelliaceae |
| Liverwort | Blepharostoma trichophyllum | Pseudolepicoleaceae |
| Pterigynandrum Moss | Pterigynandrum filiforme | Pterigynandraceae |

Lichens of the Cedar Grove

| | | |
|-------------------------------|---------------------|---------------|
| Imshaug's Witch's Hair Lichen | Alectoria imshaugii | Alectoriaceae |
| Fremont's Horsehair Lichen | Bryoria fremontii | Parmeliaceae |

