

McCord Creek/Elowah Falls/Yeon State Park
Columbia River Gorge
Multnomah County, OR
TT2N R6E S37 & T2N R7E S31

Compiled by Paul Slichter. Updated February 13, 2011

Flora Northwest: <http://science.halleyhosting.com>

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|-----------------------------------|---|------------------|
| Vine Maple | <i>Acer circinatum</i> | Aceraceae |
| Douglas Maple | <i>Acer glabrum</i> v. <i>douglasii</i> | Aceraceae |
| Big-leaf Maple | <i>Acer macrophyllum</i> | Aceraceae |
| Poison Oak | <i>Toxicodendron diversilobum</i> | Anacardiaceae |
| Shining Angelica | <i>Angelica arguta</i> | Apiaceae |
| Queen Anne's Lace (unconfirmed) | <i>Daucus carota</i> | Apiaceae |
| Cow Parsnip | <i>Heracleum maximum</i> | Apiaceae |
| Fern-leaf Desert Parsley | <i>Lomatium dissectum</i> v. <i>dissectum</i> | Apiaceae |
| Martindale's Desert Parsley | <i>Lomatium martindalei</i> | Apiaceae |
| Nine-leaf Desert Parsley | <i>Lomatium triternatum</i> v. <i>triternatum</i> | Apiaceae |
| Common Sweet Cicely | <i>Osmorhiza berteroi</i> | Apiaceae |
| Western Snakeroot (unconfirmed) | <i>Sanicula crassicaulis</i> | Apiaceae |
| Wild Ginger | <i>Asarum caudatum</i> | Aristolochiaceae |
| Yarrow | <i>Achillea millefolium</i> | Asteraceae |
| Pathfinder | <i>Adenocaulon bicolor</i> | Asteraceae |
| Pearly Everlasting | <i>Anaphalis margaritacea</i> | Asteraceae |
| Slender Pussytoes | <i>Antennaria racemosa</i> | Asteraceae |
| Columbia Gorge Arnica | <i>Arnica amplexicaulis</i> v. <i>piperi</i> | Asteraceae |
| Sticky Arnica | <i>Arnica diversifolia</i> ? | Asteraceae |
| Broad-leaf Arnica | <i>Arnica latifolia</i> | Asteraceae |
| Coastal Wormwood | <i>Artemisia suksdorfii</i> | Asteraceae |
| Canada Thistle (unconfirmed) | <i>Cirsium arvense</i> | Asteraceae |
| Bull Thistle (unconfirmed) | <i>Cirsium vulgare</i> | Asteraceae |
| Hall's Goldenweed (unconfirmed) | <i>Columbiadorea hallii</i> | Asteraceae |
| Horseweed | <i>Conyza canadensis</i> | Asteraceae |
| Smooth Hawksbeard | <i>Crepis capillaris</i> | Asteraceae |
| Spring Gold | <i>Crocidium multicaule</i> | Asteraceae |
| Howell's Fleabane | <i>Erigeron howellii</i> | Asteraceae |
| Columbia Gorge Daisy | <i>Erigeron oregonus</i> | Asteraceae |
| Woolly Sunflower, Oregon Sunshine | <i>Eriophyllum lanatum</i> v. <i>lanatum</i> | Asteraceae |
| Blanketflower | <i>Gaillardia aristata</i> (or domestic sp.) | Asteraceae |
| White-flowered Hawkweed | <i>Hieracium albiflorum</i> | Asteraceae |
| Long-bearded Hawkweed | <i>Hieracium longiberbe</i> | Asteraceae |
| False Dandelion | <i>Hypochaeris radicata</i> | Asteraceae |
| Nipplewort | <i>Lapsana communis</i> | Asteraceae |
| Oxeye Daisy | <i>Leucanthemum vulgare</i> | Asteraceae |
| Silverback Luina | <i>Luina hypoleuca</i> ? | Asteraceae |
| Common Tarweed | <i>Madia gracilis</i> | Asteraceae |
| Wall Lettuce | <i>Mycelis muralis</i> | Asteraceae |
| Columbia Gorge Groundsel | <i>Packera bolanderi</i> v. <i>harfordii</i> | Asteraceae |
| Sweet Colt's Foot | <i>Petasites frigidus</i> v. <i>palmatius</i> | Asteraceae |

| | | |
|-----------------------------------|--|-----------------|
| Arrowleaf Groundsel (unconfirmed) | <i>Senecio triangularis</i> | Asteraceae |
| Canada Goldenrod (unconfirmed) | <i>Solidago canadensis</i> ? | Asteraceae |
| Common Dandelion | <i>Taraxacum officinale</i> | Asteraceae |
| Vanilla Leaf | <i>Achlys triphylla</i> | Berberidaceae |
| Shining Oregon Grape | <i>Berberis aquifolium</i> | Berberidaceae |
| Cascade Oregon Grape | <i>Berberis nervosa</i> | Berberidaceae |
| Inside-out-flower | <i>Vancouveria hexandra</i> | Berberidaceae |
| Red Alder | <i>Alnus rubra</i> | Betulaceae |
| Sitka Alder | <i>Alnus viridis</i> ssp. <i>sinuata</i> | Betulaceae |
| California Hazelnut | <i>Corylus cornuta</i> v. <i>californica</i> | Betulaceae |
| Diffuse Stickseed | <i>Hackelia diffusa</i> v. <i>diffusa</i> | Boraginaceae |
| Blue and Yellow Scorpionweed | <i>Myosotis discolor</i> | Boraginaceae |
| Hairy Rock Cress | <i>Arabis hirsuta</i> v. <i>eschscholtziana</i> | Brassicaceae |
| American Wintercress ? | <i>Barbarea orthoceras</i> ? | Brassicaceae |
| Bitter Wintercress | <i>Barbarea vulgaris</i> | Brassicaceae |
| Hairy Bittercress | <i>Cardamine hirsuta</i> | Brassicaceae |
| Slender Toothwort | <i>Cardamine nuttallii</i> | Brassicaceae |
| Pennsylvania Bitter Cress | <i>Cardamine pensylvanica</i> | Brassicaceae |
| Spring Whitlow-grass | <i>Draba verna</i> | Brassicaceae |
| Cascade Wallflower (unconfirmed) | <i>Erysimum arenicola</i> v. <i>torulosum</i> | Brassicaceae |
| Rough Wallflower | <i>Erysimum capitatum</i> v. <i>capitatum</i> | Brassicaceae |
| Water Cress | <i>Rorippa nasturtium-aquaticum</i> | Brassicaceae |
| Round-leaf Bluebell | <i>Campanula rotundifolia</i> | Campanulaceae |
| Scouler's Harebell | <i>Campanula scouleri</i> | Campanulaceae |
| Twinflower | <i>Linnaea borealis</i> | Caprifoliaceae |
| Orange Honeysuckle | <i>Lonicera ciliosa</i> | Caprifoliaceae |
| Blue Elderberry (unconfirmed) | <i>Sambucus mexicana</i> | Caprifoliaceae |
| Red Elderberry | <i>Sambucus racemosa</i> v. <i>racemosa</i> | Caprifoliaceae |
| Common Snowberry | <i>Symphoricarpos albus</i> | Caprifoliaceae |
| Oval-leaf Viburnum | <i>Viburnum ellipticum</i> | Caprifoliaceae |
| Field Chickweed | <i>Cerastium arvense</i> ssp. <i>strictum</i> | Caryophyllaceae |
| Sticky Chickweed | <i>Cerastium glomeratum</i> | Caryophyllaceae |
| Slender Sandwort (unconfirmed) | <i>Minuartia tenella</i> | Caryophyllaceae |
| Big-leaf Sandwort | <i>Moehringia macrophylla</i> | Caryophyllaceae |
| Douglas' Campion | <i>Silene douglasii</i> | Caryophyllaceae |
| Northern Starwort | <i>Stellaria calycantha</i> v. <i>sitchana</i> | Caryophyllaceae |
| Chickweed | <i>Stellaria media</i> | Caryophyllaceae |
| Pacific Dogwood | <i>Cornus nuttallii</i> | Cornaceae |
| Creek Dogwood | <i>Cornus stolonifera</i> v. <i>occidentalis</i> | Cornaceae |
| Oregon Stonecrop | <i>Sedum oreganum</i> | Crassulaceae |
| Broad-leaf Stonecrop | <i>Sedum spathulifolium</i> | Crassulaceae |
| Manroot | <i>Marah oreganus</i> | Cucurbitaceae |
| Western Red Cedar | <i>Thuja plicata</i> | Cupressaceae |
| Bracken Fern (unconfirmed) | <i>Pteridium aquilinum</i> | Dennstaediaceae |
| Spreading Wood Fern (unconfirmed) | <i>Dryopteris expansa</i> | Dryopteridaceae |
| Sword Fern | <i>Polystichum munitum</i> | Dryopteridaceae |
| Prince's Pine | <i>Chimaphila umbellata</i> v. <i>occidentalis</i> | Ericaceae |
| Salal | <i>Gaultheria shallon</i> | Ericaceae |
| Red Huckleberry | <i>Vaccinium parvifolium</i> | Ericaceae |

| | | |
|----------------------------------|---|-----------------|
| Nevada Deervetch | <i>Lathyrus nevadensis</i> | Fabaceae |
| Leafy Pea | <i>Lathyrus polyphyllus</i> | Fabaceae |
| Bird'sfoot Trefoil | <i>Lotus corniculatus</i> | Fabaceae |
| Small-flowered Deervetch | <i>Lotus micranthus</i> | Fabaceae |
| Spanish-clover | <i>Lotus unifoliolatus</i> | Fabaceae |
| Alfalfa | <i>Medicago sativa</i> | Fabaceae |
| Indian Pipe | <i>Monotropa uniflora</i> | Ericaceae |
| Hare's-foot Clover | <i>Trifolium arvense</i> | Fabaceae |
| Least Hop Clover | <i>Trifolium dubium</i> | Fabaceae |
| Red Clover | <i>Trifolium pratense</i> | Fabaceae |
| White Clover | <i>Trifolium repens</i> | Fabaceae |
| Common Vetch | <i>Vicia sativa</i> | Fabaceae |
| Oregon White Oak (Unconfirmed) | <i>Quercus garryana</i> v. <i>garryana</i> | Fagaceae |
| Western Corydalis | <i>Corydalis scouleri</i> | Fumariaceae |
| Bleeding Heart | <i>Dicentra formosa</i> | Fumariaceae |
| Robert Geranium | <i>Geranium robertianum</i> | Geraniaceae |
| Stink Currant | <i>Ribes bracteosum</i> | Grossulariaceae |
| Straggly Currant | <i>Ribes divaricatum</i> | Grossulariaceae |
| Red-flowering Currant | <i>Ribes sanguineum</i> | Grossulariaceae |
| Mock Orange | <i>Philadelphus lewisii</i> | Hydrangeaceae |
| Pacific Waterleaf | <i>Hydrophyllum tenuipes</i> | Hydrophyllaceae |
| Woods Nemophila | <i>Nemophila parviflora</i> | Hydrophyllaceae |
| Changeable Phacelia ? | <i>Phacelia mutabilis</i> ? | Hydrophyllaceae |
| Sitka Mist Maidens | <i>Romanzoffia sitchensis</i> | Hydrophyllaceae |
| Common St. John's Wort | <i>Hypericum perforatum</i> | Hypericaceae |
| Field Woodrush | <i>Luzula campestris</i> v. <i>congesta</i> | Juncaceae |
| Spreading Wood Rush | <i>Luzula divaricatum</i> (now <i>L. parviflora</i>) | Juncaceae |
| Small-flowered Wood-rush | <i>Luzula parviflora</i> | Juncaceae |
| Great Hedge Nettle | <i>Stachys chamissonis</i> | Lamiaceae |
| Narrow-leaf Onion | <i>Allium amplexens</i> | Liliaceae |
| Nodding Onion | <i>Allium cernuum</i> | Liliaceae |
| Bronze Bells | <i>Anticlea occidentalis</i> (<i>Stenanthium occiden</i>) | Liliaceae |
| Glacier Lily | <i>Erythronium grandiflorum</i> | Liliaceae |
| Chocolate Lily | <i>Fritillaria affinis</i> | Liliaceae |
| Columbia Tiger Lily | <i>Lilium columbianum</i> | Liliaceae |
| False Lilly-of-the-valley | <i>Maianthemum dilatatum</i> | Liliaceae |
| False Solomon Seal | <i>Maianthemum racemosum</i> ssp. <i>amplexicau</i> | Liliaceae |
| Star-flowered False Solomon Seal | <i>Maianthemum stellatum</i> | Liliaceae |
| Hooker's Fairybells | <i>Prosartes hookeri</i> | Liliaceae |
| Clasping-leaf Twisted Stalk | <i>Streptopus amplexifolius</i> | Liliaceae |
| Trillium, Wood Lily | <i>Trillium ovatum</i> | Liliaceae |
| Liverwort | <i>Conocephalum conicum</i> ? | Liverwort |
| Fireweed (unconfirmed) | <i>Chamerion angustifolium</i> v. <i>canescens</i> | Onagraceae |
| Enchanter's Nightshade | <i>Circaea alpina</i> ssp. <i>pacifica</i> | Onagraceae |
| Farewell to Spring (unconfirmed) | <i>Clarkia amoena</i> ssp. <i>amoena</i> | Onagraceae |
| Northwestern Farewell to Spring | <i>Clarkia amoena</i> ssp. <i>caurina</i> | Onagraceae |
| Small-flowered Willowherb | <i>Epilobium minutum</i> | Onagraceae |
| Fairy Slipper | <i>Calypso bulbosa</i> | Orchidaceae |
| Rattlesnake Plantain | <i>Goodyera oblongifolia</i> | Orchidaceae |

| | | |
|--------------------------------------|---|----------------|
| Heartleaf Twayblade | <i>Listera cordata</i> | Orchidaceae |
| Alaska Rein Orchid | <i>Piperia unalascensis</i> | Orchidaceae |
| Naked Broomrape (unconfirmed) | <i>Orobanche uniflora</i> v. | Orobanchaceae |
| Grand Fir | <i>Abies grandis</i> | Pinaceae |
| Noble Fir (unconfirmed) | <i>Abies procera</i> | Pinaceae |
| Douglas Fir | <i>Pseudotsuga menziesii</i> | Pinaceae |
| Western Hemlock | <i>Tsuga heterophylla</i> | Pinaceae |
| English Plantain | <i>Plantago lanceolata</i> | Plantaginaceae |
| Common Plantain | <i>Plantago major</i> | Plantaginaceae |
| Cheatgrass | <i>Bromus tectorum</i> | Poaceae |
| Columbia Brome | <i>Bromus vulgaris</i> | Poaceae |
| Howell's Reedgrass | <i>Calamagrostis howellii</i> | Poaceae |
| Chewing's Fescue | <i>Festuca rubra</i> ssp. <i>commutata</i> | Poaceae |
| Bearded Fescue | <i>Festuca subulata</i> | Poaceae |
| Harford's Melic | <i>Melica harfordii</i> | Poaceae |
| Alaska Oniongrass | <i>Melica subulata</i> | Poaceae |
| Annual Bluegrass | <i>Poa annua</i> | Poaceae |
| Bulbous Bluegrass | <i>Poa bulbosa</i> | Poaceae |
| Sandberg's Bluegrass | <i>Poa X multnomae</i> (<i>P. gracillima</i> v. <i>multnor</i>) | Poaceae |
| Varied-leaf Collomia | <i>Collomia heterophylla</i> | Polemoniaceae |
| Bluefield Gilia (unconfirmed) | <i>Gilia capitata</i> ssp. <i>capitata</i> | Polemoniaceae |
| Spreading Phlox | <i>Phlox diffusa</i> | Polemoniaceae |
| Heartleaf Buckwheat | <i>Eriogonum compositum</i> v. <i>compositum</i> | Polygonaceae |
| Cascade Knotweed | <i>Polygonum cascadense</i> | Polygonaceae |
| Sheep Sorrel | <i>Rumex acetosella</i> | Polygonaceae |
| Broad-leaved Dock | <i>Rumex obtusifolius</i> | Polygonaceae |
| Irregular Polypody | <i>Polypodium amorphum</i> | Polypodiaceae |
| Licorice Fern | <i>Polypodium glycyrrhiza</i> | Polypodiaceae |
| Miner's Lettuce | <i>Claytonia perfoliata</i> ssp. <i>perfoliata</i> | Portulacaceae |
| Candy Flower, Siberian Spring Beauty | <i>Claytonia sibirica</i> | Portulacaceae |
| Littleleaf Montia | <i>Montia parvifolia</i> | Portulacaceae |
| Alpine Shooting Star | <i>Dodecatheon alpinum</i> | Primulaceae |
| White Shooting Star | <i>Dodecatheon dentatum</i> ssp. <i>dentatum</i> | Primulaceae |
| Douglasia | <i>Douglasia laevigata</i> | Primulaceae |
| Broad-leaf Star Flower | <i>Trientalis latifolia</i> | Primulaceae |
| Maidenhair Fern | <i>Adiantum aleuticum</i> | Pteridiaceae |
| Cascade Rockbrake | <i>Cryptogramma acrostichoides</i> | Pteridiaceae |
| Gold Back Fern (unconfirmed) | <i>Pentagramma triangularis</i> ssp. <i>triangularis</i> | Pteridiaceae |
| Baneberry | <i>Actaea rubra</i> | Ranunculaceae |
| Columbia Wind Flower | <i>Anemone deltoidea</i> | Ranunculaceae |
| Red Columbine | <i>Aquilegia formosa</i> | Ranunculaceae |
| Rockslide Larkspur | <i>Delphinium glareosum</i> | Ranunculaceae |
| Creeping Buttercup | <i>Ranunculus repens</i> | Ranunculaceae |
| Little Buttercup | <i>Ranunculus uncinatus</i> v. <i>parviflorus</i> | Ranunculaceae |
| Western Meadowrue | <i>Thalictrum occidentale</i> | Ranunculaceae |
| Buck Brush | <i>Ceanothus sanguineus</i> | Rhamnaceae |
| Cascara | <i>Rhamnus purshiana</i> | Rhamnaceae |
| Serviceberry | <i>Amelanchier alnifolia</i> (v. <i>semiintegrifolia</i> ?) | Rosaceae |
| Goat's Beard | <i>Aruncus sylvestris</i> | Rosaceae |

| | | |
|-------------------------------------|--|------------------|
| Wood Strawberry | <i>Fragaria vesca</i> v. <i>bracteata</i> | Rosaceae |
| Large-leaf Avens | <i>Geum macrophyllum</i> | Rosaceae |
| Creambush Oceanspray | <i>Holodiscus discolor</i> | Rosaceae |
| Western Crab Apple | <i>Malus fusca</i> | Rosaceae |
| Osoberry | <i>Oemlaria cerasiformis</i> | Rosaceae |
| Ninebark | <i>Physocarpus capitatus</i> | Rosaceae |
| Sticky Cinquefoil (unconfirmed) | <i>Potentilla glandulosa</i> | Rosaceae |
| Sour Cherry | <i>Prunus cerasus</i> | Rosaceae |
| Bitter Cherry | <i>Prunus emarginata</i> v. <i>mollis</i> | Rosaceae |
| Chokecherry | <i>Prunus virginiana</i> v. <i>melanocarpa</i> | Rosaceae |
| Little Wild Rose | <i>Rosa gymnocarpa</i> | Rosaceae |
| Nootka Rose | <i>Rosa nutkana</i> | Rosaceae |
| Himalayan Blackberry | <i>Rubus armeniacus</i> | Rosaceae |
| Evergreen Blackberry | <i>Rubus laciniatus</i> | Rosaceae |
| Black Raspberry | <i>Rubus leucodermis</i> | Rosaceae |
| Thimbleberry | <i>Rubus parviflorus</i> | Rosaceae |
| Salmonberry | <i>Rubus spectabilis</i> | Rosaceae |
| Trailing Blackberry | <i>Rubus ursinus</i> v. <i>macropetala</i> | Rosaceae |
| Shining-leaf Spiraea | <i>Spiraea betulifolia</i> v. <i>lucida</i> | Rosaceae |
| Annual Bedstraw, Cleavers | <i>Galium aparine</i> v. <i>echinospermum</i> | Rubiaceae |
| Fragrant Bedstraw | <i>Galium triflorum</i> | Rubiaceae |
| Black Cottonwood | <i>Populus trichocarpa</i> | Salicaceae |
| Bog Willow | <i>Salix pedicellaris</i> | Salicaceae |
| Oregon Bolandra | <i>Bolandra oregana</i> | Saxifragaceae |
| Small-flowered Alumroot | <i>Heuchera micrantha</i> v. <i>micrantha</i> | Saxifragaceae |
| Bulblet Woodland Star (unconfirmed) | <i>Lithophragma bulbifera</i> (<i>L. glabrum</i>) | Saxifragaceae |
| Small-flowered Woodland Star | <i>Lithophragma parviflorum</i> | Saxifragaceae |
| Rustyhair Saxifrage | <i>Micranthes rufidula</i> (<i>Saxifraga rufidula</i>) | Saxifragaceae |
| Leafy-stem Mitrewort | <i>Mitella caulescens</i> | Saxifragaceae |
| Matted Saxifrage | <i>Saxifraga bronchialis</i> v. <i>vespertina</i> | Saxifragaceae |
| Tufted Saxifrage | <i>Saxifraga cespitosa</i> | Saxifragaceae |
| Merten's Saxifrage | <i>Saxifraga mertensiana</i> | Saxifragaceae |
| Fringe Cup | <i>Tellima grandiflora</i> | Saxifragaceae |
| Youth-on-age | <i>Tolmiea menziesii</i> | Saxifragaceae |
| Harsh Paintbrush | <i>Castilleja hispida</i> v. <i>hispida</i> ? | Scrophulariaceae |
| Cliff Paintbrush | <i>Castilleja rupicola</i> | Scrophulariaceae |
| Small-flowered Blue-eyed Mary | <i>Collinsia parviflora</i> | Scrophulariaceae |
| Foxglove | <i>Digitalis purpurea</i> | Scrophulariaceae |
| Chickweed Monkeyflower | <i>Mimulus alsinoides</i> | Scrophulariaceae |
| Common Monkeyflower | <i>Mimulus guttatus</i> | Scrophulariaceae |
| Woodland Beardtongue | <i>Nothochelone nemorosa</i> | Scrophulariaceae |
| Cutleaf Penstemon | <i>Penstemon richardsonii</i> v. <i>richardsonii</i> | Scrophulariaceae |
| Cliff Penstemon | <i>Penstemon rupicola</i> | Scrophulariaceae |
| Cascade Penstemon | <i>Penstemon serrulatus</i> | Scrophulariaceae |
| Columbia Kittentails | <i>Synthyris stellata</i> | Scrophulariaceae |
| Small-flowered Tonella | <i>Tonella tenella</i> | Scrophulariaceae |
| Corn Speedwell | <i>Veronica arvensis</i> | Scrophulariaceae |
| Douglas' Lesser Clubmoss | <i>Selaginella douglasii</i> | Selaginellaceae |
| Wallace's Lesser Clubmoss | <i>Selaginella wallacei</i> | Selaginellaceae |

| | | |
|--------------------|---|---------------|
| Pacific Yew | <i>Taxus brevifolia</i> | Taxaceae |
| Stinging Nettles | <i>Urtica dioica</i> | Urticaceae |
| Rosy Plectritis | <i>Plectritis congesta</i> | Valerianaceae |
| Scouler's Valerian | <i>Valeriana scouleri</i> | Valerianaceae |
| Evergreen Violet | <i>Viola sempervirens</i> | Violaceae |
| Lady Fern | <i>Athyrium filix-femina</i> v. <i>cyclosorum</i> | Woodsiaceae |
| Brittle Fern | <i>Cystopteris fragilis</i> | Woodsiaceae |