

Southeast Mt. Adams
Klickitat & Yakima Counties, WA
From King Mt. and the Bird Creek Meadows Road East to the Klickitat River
North of the Trout Lake-Glenwood Road to the Yakima Reservation

List compiled by Paul Slichter. Updated January 13, 2010
Flora Northwest- <http://science.halleyhosting.com>

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|-----------------------------|---|-----------------|
| Vine Maple | <i>Acer circinatum</i> | Aceraceae |
| Douglas' Maple | <i>Acer glabrum</i> v. <i>douglasii</i> | Aceraceae |
| Bigleaf Maple | <i>Acer macrophyllum</i> | Aceraceae |
| American Water Plantain | <i>Alisma plantago-aquatica</i> | Alismataceae |
| Arum-leaf Arrowhead, Wapato | <i>Sagittaria cuneata</i> | Alismataceae |
| Poison Oak | <i>Toxicodendron diversiloba</i> | Anacardiaceae |
| Sharptooth Angelica | <i>Angelica arguta</i> | Apiaceae |
| Douglas' Water-hemlock | <i>Cicuta douglasii</i> | Apiaceae |
| Gray's Lovage | <i>Ligusticum grayi</i> | Apiaceae |
| Columbia Desert Parsley | <i>Lomatium columbianum</i> | Apiaceae |
| Fernleaf Desert Parsley | <i>Lomatium dissectum</i> v. <i>dissectum</i> | Apiaceae |
| Salt and Pepper | <i>Lomatium gormanii</i> | Apiaceae |
| Pungent Desert Parsley | <i>Lomatium grayii</i> | Apiaceae |
| Bare-stem Desert Parsley | <i>Lomatium nudicaule</i> | Apiaceae |
| Nine-leaf Desert Parsley | <i>Lomatium triternatum</i> v. <i>triternatum</i> | Apiaceae |
| Water Parsley | <i>Oenanthe sarmentosa</i> | Apiaceae |
| Common Sweet-cicely | <i>Osmorhiza berteroi</i> | Apiaceae |
| Western Sweetroot | <i>Osmorhiza occidentalis</i> | Apiaceae |
| Purple Sweetroot | <i>Osmorhiza purpurea</i> | Apiaceae |
| Common Yampah | <i>Perideridia gairdneri</i> ssp. <i>borealis</i> | Apiaceae |
| Turpinetine Wavewing | <i>Pteryxia terebinthina</i> v. <i>terebinthina</i> | Apiaceae |
| Sierra Snakeroot | <i>Sanicula graveolens</i> | Apiaceae |
| Flytrap Dogbane | <i>Apocynum androsaemifolium</i> | Apocynaceae |
| Skunk Cabbage | <i>Lysichiton americaum</i> | Araceae |
| Wild Ginger | <i>Asarum caudatum</i> | Aristolochaceae |
| Showy Milkweed | <i>Asclepias speciosa</i> | Asclepiadaceae |
| Western Yarrow | <i>Achillea millefolium</i> v. <i>occidentalis</i> | Asteraceae |
| Pathfinder | <i>Adenocaulon bicolor</i> | Asteraceae |
| Orange Agoseris | <i>Agoseris aurantiaca</i> | Asteraceae |
| Large-flowered Agoseris | <i>Agoseris grandiflora</i> | Asteraceae |
| Annual Agoseris | <i>Agoseris heterophylla</i> | Asteraceae |
| Spear-leaf Agoseris | <i>Agoseris retrorsa</i> | Asteraceae |
| Pearly Everlasting | <i>Anaphalis margaritacea</i> | Asteraceae |
| Howell's Pussytoes | <i>Antennaria howellii</i> v. <i>howellii</i> | Asteraceae |
| Howell's Pussytoes | <i>Antennaria howellii</i> v. <i>neodioica</i> ? | Asteraceae |
| Woodrush Pussytoes | <i>Antennaria luzuloides</i> | Asteraceae |
| Racemose Pussytoes | <i>Antennaria racemosa</i> | Asteraceae |
| Rosy Pussytoes | <i>Antennaria rosea</i> | Asteraceae |
| Meadow Arnica, Leafy Arnica | <i>Arnica chamissonis</i> | Asteraceae |
| Heartleaf Arnica | <i>Arnica cordifolia</i> | Asteraceae |
| Rayless Arnica | <i>Arnica discoidea</i> | Asteraceae |
| Mountain Arnica | <i>Arnica latifolia</i> | Asteraceae |
| Hairy Arnica | <i>Arnica mollis</i> | Asteraceae |

| | | |
|-------------------------|---|---------------|
| Nodding Arnica | <i>Arnica parryi</i> | Asteraceae |
| Douglas' Wormwood | <i>Artemisia douglasiana</i> | Asteraceae |
| Carey's Balsamroot | <i>Balsamorhiza careyana</i> v. <i>intermedia</i> | Asteraceae |
| Hybrid Balsamroot | <i>Balsamorhiza careyana</i> Xhookeri | Asteraceae |
| Hooker's Balsamroot | <i>Balsamorhiza hookeri</i> v. <i>hookeri</i> | Asteraceae |
| Silver Crown Luina | <i>Cacaliopsis nardosmia</i> | Asteraceae |
| Diffuse Knapweed | <i>Centaurea diffusa</i> | Asteraceae |
| Meadow Knapweed | <i>Centaurea pratensis</i> | Asteraceae |
| Hoary False Yarrow | <i>Chaenactis douglasii</i> | Asteraceae |
| Canada Thistle | <i>Cirsium arvense</i> | Asteraceae |
| Bull Thistle | <i>Cirsium vulgare</i> | Asteraceae |
| Horseweed | <i>Conyza canadensis</i> v. <i>glabrata</i> | Asteraceae |
| Smooth Hawksbeard | <i>Crepis capillaris</i> | Asteraceae |
| Spring Gold | <i>Crocidium multicaule</i> | Asteraceae |
| Rabbitbrush Goldenweed | <i>Ericameria bloomeri</i> | Asteraceae |
| Gren Rabbitbrush ? | <i>Ericameria viscidiflora</i> | Asteraceae |
| Subalpine Daisy | <i>Erigeron glacialis</i> ssp. <i>glacialis</i> | Asteraceae |
| Rayless Fleabane | <i>Erigeron inornatus</i> | Asteraceae |
| Woolly Sunflower | <i>Eriophyllum lanatum</i> v. <i>lanatum</i> | Asteraceae |
| Klickitat Aster | <i>Eucephalus glaucescens</i> | Asteraceae |
| Rough Aster | <i>Eurybia radulina</i> | Asteraceae |
| Western Marsh Cudweed | <i>Gnaphalium palustre</i> | Asteraceae |
| Low Gumweed | <i>Grindelia nana</i> v. <i>integrifolia</i> | Asteraceae |
| Douglas' Helianthella | <i>Helianthella uniflora</i> v. <i>douglasii</i> | Asteraceae |
| Small-flowered Tarweed | <i>Hemizonella minima</i> | Asteraceae |
| White-flowered Hawkweed | <i>Hieracium albiflorum</i> | Asteraceae |
| Meadow Hawkweed | <i>Hieracium caespitosum</i> | Asteraceae |
| Scouler's Hawkweed | <i>Hieracium scouleri</i> v. <i>scouleri</i> | Asteraceae |
| Hairy Catsear | <i>Hypochaeris radicata</i> | Asteraceae |
| Prickly Lettuce | <i>Lactuca serriola</i> | Asteraceae |
| Oxeye Daisy | <i>Leucanthemum vulgare</i> | Asteraceae |
| Mountain Tarweed | <i>Madia glomerata</i> | Asteraceae |
| Common Tarweed | <i>Madia gracilis</i> | Asteraceae |
| Cut-leaved Microseris | <i>Microseris laciniata</i> | Asteraceae |
| Nodding Microseris | <i>Microseris nutans</i> | Asteraceae |
| Wall-lettuce | <i>Mycelis muralis</i> | Asteraceae |
| False Agoseris | <i>Nothocalais troximoides</i> | Asteraceae |
| Falsegold Groundsel | <i>Packera pseud aurea</i> v. <i>pseud aurea</i> | Asteraceae |
| Slender Cudweed | <i>Pseudognaphalium canescens</i> ssp. <i>microcephalum</i> | Asteraceae |
| Woolyheads | <i>Psilocarphus elatior</i> | Asteraceae |
| Columbia Goldenweed | <i>Pyrocoma carthamoides</i> | Asteraceae |
| Western Groundsel | <i>Senecio integerrimus</i> v. <i>exaltatus</i> | Asteraceae |
| Western Groundsel | <i>Senecio integerrimus</i> v. <i>ochroleucus</i> | Asteraceae |
| Arrowleaf Groundsel | <i>Senecio triangularis</i> | Asteraceae |
| Canada Goldenrod | <i>Solidago canadensis</i> v. <i>salebrosa</i> | Asteraceae |
| Western Mountain Aster | <i>Symphotrichum spathulatum</i> v. <i>spathulatum</i> | Asteraceae |
| Western Meadow Aster | <i>Symphotrichum campestrum</i> | Asteraceae |
| Common Dandelion | <i>Taraxacum officinale</i> | Asteraceae |
| Yellow Salsify | <i>Tragopogon dubius</i> | Asteraceae |
| Northern Mule's Ears | <i>Wyethia amplexicaulis</i> | Asteraceae |
| Vanilla Leaf | <i>Achlys triphylla</i> | Berberidaceae |
| Shining Oregon Grape | <i>Berberis aquifolium</i> | Berberidaceae |

| | | |
|------------------------------|--|-----------------|
| Cascade Oregon Grape | <i>Berberis nervosa</i> | Berberidaceae |
| Creeping Oregon Grape | <i>Berberis repens</i> | Berberidaceae |
| Mountain Alder | <i>Alnus incana</i> ssp. <i>tenuifolia</i> | Betulaceae |
| White Alder | <i>Alnus rhombifolia</i> | Betulaceae |
| Red Alder | <i>Alnus rubra</i> | Betulaceae |
| Sitka Alder | <i>Alnus viridis</i> ssp. <i>sinuata</i> | Betulaceae |
| Filbert/Hazelnut | <i>Corylus cornuta</i> v. <i>californica</i> | Betulaceae |
| Quill Cryptantha | <i>Cryptantha affinis</i> | Boraginaceae |
| Common Cryptantha | <i>Cryptantha intermedia</i> | Boraginaceae |
| Diffuse Stickseed | <i>Hackelia diffusa</i> (v. <i>cottonii</i> ?) | Boraginaceae |
| Diffuse Stickseed | <i>Hackelia diffusa</i> v. <i>diffusa</i> | Boraginaceae |
| Puccoon | <i>Lithospermum ruderales</i> | Boraginaceae |
| Blue Scorpion-grass ? | <i>Myosotis discolor</i> | Boraginaceae |
| Small-flowered Forget-me-not | <i>Myosotis laxa</i> | Boraginaceae |
| Blue Forget-me-not | <i>Myosotis micrantha</i> | Boraginaceae |
| Scouler's Popcorn Flower | <i>Plagiobothrys scouleri</i> (v. <i>scouleri</i> ?) | Boraginaceae |
| Slender Popcorn Flower | <i>Plagiobothrys tenellus</i> | Boraginaceae |
| Columbia Gorge Rockcress | <i>Arabis furcata</i> v. <i>furcata</i> | Brassicaceae |
| Tower Mustard | <i>Arabis glabra</i> v. <i>glabra</i> | Brassicaceae |
| Hairystem Rockcress | <i>Arabis hirsuta</i> v. <i>glabrata</i> | Brassicaceae |
| Holboell's Rockcress | <i>Arabis holboellii</i> v. | Brassicaceae |
| Hairystem Rockcress | <i>Arabis sparsiflora</i> v. <i>subvillosa</i> | Brassicaceae |
| Oaks Toothwort | <i>Cardamine nuttallii</i> v. <i>nuttallii</i> | Brassicaceae |
| Mountain Tansymustard | <i>Descurainia incana</i> ssp. <i>viscosa</i> | Brassicaceae |
| Spring Whitlow-grass | <i>Draba verna</i> v. <i>boerhaavii</i> | Brassicaceae |
| Rough Wallflower | <i>Erysimum capitatum</i> v. <i>capitatum</i> | Brassicaceae |
| Field Peppergrass | <i>Lepidium campestre</i> | Brassicaceae |
| Western Yellow Cress | <i>Rorippa curvisiliqua</i> | Brassicaceae |
| Blue-staining Cup Fungus | <i>Caloscypha fulgens</i> | Caloscyphaceae |
| Scots Bluebells | <i>Campanula rotundifolia</i> | Campanulaceae |
| Scouler's Harebell | <i>Campanula scouleri</i> | Campanulaceae |
| Showy Downingia | <i>Downingia elegans</i> | Campanulaceae |
| Heterocodon | <i>Heterocodon rariflorum</i> | Campanulaceae |
| Longtube Twinflower | <i>Linnaea borealis</i> ssp. <i>longiflora</i> | Caprifoliaceae |
| Orange Honeysuckle | <i>Lonicera ciliosa</i> | Caprifoliaceae |
| Purpleflower Honeysuckle | <i>Lonicera conjugialis</i> | Caprifoliaceae |
| Black Twin-berry | <i>Lonicera involucrata</i> v. <i>involucrata</i> | Caprifoliaceae |
| Blue Elderberry | <i>Sambucus nigra</i> ssp. <i>cerulea</i> | Caprifoliaceae |
| Black Elderberry | <i>Sambucus racemosa</i> v. <i>melanocarpa</i> | Caprifoliaceae |
| Snowberry | <i>Symphoricarpos albus</i> | Caprifoliaceae |
| Creeping Snowberry | <i>Symphoricarpos hesperius</i> (<i>S. mollis</i>) | Caprifoliaceae |
| Highbush Cranberry | <i>Viburnum edule</i> | Caprifoliaceae |
| Jagged Chickweed | <i>Holosteum umbellata</i> | Caryophyllaceae |
| Large-leaf Sandwort | <i>Moehringia macrophylla</i> | Caryophyllaceae |
| Procumbent Pearlwort | <i>Sagina procumbens</i> | Caryophyllaceae |
| Soapwort | <i>Saponaria officinalis</i> | Caryophyllaceae |
| Menzie's Silene | <i>Silene menziesii</i> v. <i>Menziesii</i> | Caryophyllaceae |
| Oregon Catchfly | <i>Silene oregana</i> | Caryophyllaceae |
| Bladder Campion | <i>Silene vulgaris</i> | Caryophyllaceae |
| Red Sandspurry | <i>Spergularia rubra</i> | Caryophyllaceae |
| Longstalk Starwort | <i>Stellaria longipes</i> | Caryophyllaceae |
| Oregon Boxwood | <i>Pachistima myrsinites</i> | Celastraceae |

| | | |
|------------------------------|---|------------------|
| Bog St. John's Wort | <i>Hypericum anagalloides</i> | Clusiaceae |
| Common St. Johnswort | <i>Hypericum perforatum</i> | Clusiaceae |
| Western St. John'swort | <i>Hypericum scouleri</i> v. <i>scouleri</i> | Clusiaceae |
| Nightblooming False Bindweed | <i>Calystegia atriplicifolia</i> ssp. <i>atriplicifolia</i> | Convolvulaceae |
| Pacific Dogwood | <i>Cornus nuttallii</i> | Cornaceae |
| Creek Dogwood | <i>Cornus sericea</i> v. <i>occidentalis</i> | Cornaceae |
| Spreading Stonecrop | <i>Sedum divergens</i> | Crassulaceae |
| Wormleaf Stonecrop | <i>Sedum stenopetalum</i> | Crassulaceae |
| Common Juniper | <i>Juniperus communis</i> | Cupressaceae |
| Western Red Cedar | <i>Thuja plicata</i> | Cupressaceae |
| Fragile-sheath Sedge | <i>Carex fracta</i> | Cyperaceae |
| Elk Sedge | <i>Carex geyeri</i> | Cyperaceae |
| Nebraska Sedge | <i>Carex nebrascensis</i> | Cyperaceae |
| Woolly Sedge | <i>Carex pellita</i> | Cyperaceae |
| Ross' Sedge | <i>Carex rossii</i> | Cyperaceae |
| Inflated Sedge | <i>Carex vesicaria</i> | Cyperaceae |
| Flatsedge | <i>Cyperus</i> sp. | Cyperaceae |
| Needle Spikerush | <i>Eleocharis acicularis</i> | Cyperaceae |
| Spikerush | <i>Eleocharis palustris</i> | Cyperaceae |
| Cotton Grass | <i>Eriophorum</i> (<i>angustifolium</i> sp.?) | Cyperaceae |
| Bracken Fern | <i>Pteridium aquilinum</i> | Dennstaedtiaceae |
| Western Lady Fern | <i>Athyrium filix-femina</i> ssp. <i>cyclosum</i> | Dryopteridaceae |
| Brittle Bladder-fern | <i>Cystopteris fragilis</i> | Dryopteridaceae |
| Western Sword Fern | <i>Polystichum munitum</i> | Dryopteridaceae |
| Horsetail | <i>Equisetum</i> sp. | Equisetaceae |
| Pinemat Manzanita | <i>Arctostaphylos nevadensis</i> | Ericaceae |
| Kinnikinnick | <i>Arctostaphylos uva-ursi</i> | Ericaceae |
| Little Pipsissewa | <i>Chimaphila menziesii</i> | Ericaceae |
| Pipsissewa | <i>Chimaphila umbellata</i> ssp. <i>umbellata</i> | Ericaceae |
| Alpine Laurel | <i>Kalmia microphylla</i> | Ericaceae |
| Sidebells Wintergreen | <i>Orthilia secunda</i> | Ericaceae |
| Pinedrops | <i>Pteraspora andromedea</i> | Ericaceae |
| Leafless Pyrola ? | <i>Pyrola aphylla?</i> | Ericaceae |
| Large Pyrola | <i>Pyrola asarifolia</i> | Ericaceae |
| White-vein Pyrola | <i>Pyrola picta</i> | Ericaceae |
| Dwarf Huckleberry | <i>Vaccinium caespitosum</i> | Ericaceae |
| Thinleaf Huckleberry | <i>Vaccinium membranaceum</i> | Ericaceae |
| Bog Blueberry | <i>Vaccinium uliginosum</i> | Ericaceae |
| Turkey-mullein | <i>Eremocarpus setigerus</i> | Euphorbaceae |
| Suksdorf's Milkvetch | <i>Astragalus pulsiferus</i> | Fabaceae |
| Scots Broom | <i>Cytisus scoparius</i> | Fabaceae |
| Thick-leaved Peavine | <i>Lathyrus lanszwertii</i> v. <i>aridus</i> | Fabaceae |
| Thick-leaved Peavine | <i>Lathyrus lanszwertii</i> v. <i>lanszwertii</i> ? | Fabaceae |
| Few-flowered Pea | <i>Lathyrus pauciflorus</i> v. <i>pauciflorus</i> | Fabaceae |
| Nevada Deer-vetch | <i>Lotus nevadensis</i> ssp. <i>nevadensis</i> | Fabaceae |
| Bog Deer-vetch | <i>Lotus pinnatus</i> | Fabaceae |
| Spanish-clover | <i>Lotus purshiana</i> | Fabaceae |
| American Bird's-foot Trefoil | <i>Lotus unifoliatus</i> v. <i>unifoliatus</i> | Fabaceae |
| Spurred Lupine | <i>Lupinus arbustus</i> ssp. <i>silvicola</i> | Fabaceae |
| Largeleaf Lupine | <i>Lupinus burkei</i> ssp. <i>burkei</i> | Fabaceae |
| Common Broad-leaf Lupine | <i>Lupinus latifolius</i> v. <i>latifolius</i> ? | Fabaceae |
| Prairie Lupine | <i>Lupinus lepidus</i> var. <i>aridus</i> | Fabaceae |

| | | |
|---------------------------------------|--|-----------------|
| White-leaved Lupine | <i>Lupinus leucophyllus</i> | Fabaceae |
| Silky Lupine | <i>Lupinus sericeus</i> ssp. <i>sericeus</i> v. <i>flexuosus</i> | Fabaceae |
| Wyeth Lupine ? | <i>Lupinus wyethia</i> | Fabaceae |
| Golden Clover | <i>Trifolium aureum</i> | Fabaceae |
| Cup Clover | <i>Trifolium cyathiferum</i> | Fabaceae |
| Least Hop Clover | <i>Trifolium dubium</i> | Fabaceae |
| Longstalk Clover | <i>Trifolium longipes</i> ssp. <i>longipes</i> | Fabaceae |
| Bighead Clover | <i>Trifolium macrocephalum</i> | Fabaceae |
| Red Clover | <i>Trifolium pratense</i> | Fabaceae |
| White Clover | <i>Trifolium repens</i> | Fabaceae |
| American Vetch | <i>Vicia americana</i> ssp. <i>americana</i> | Fabaceae |
| Oregon White Oak | <i>Quercus garryana</i> | Fagaceae |
| Steer's Head | <i>Dicentra uniflora</i> | Fumariaceae |
| Western Centaury | <i>Centaureum exaltatum</i> | Gentianaceae |
| Whitestem Fräsera | <i>Swertia albicaulis</i> v. <i>columbiana</i> | Gentianaceae |
| Wax Currant | <i>Ribes cereum</i> v. <i>cereum</i> | Grossulariaceae |
| Straggly Currant | <i>Ribes divaricatum</i> | Grossulariaceae |
| Prickly Currant | <i>Ribes lacustre</i> | Grossulariaceae |
| Red-flowering Currant | <i>Ribes sanguineum</i> | Grossulariaceae |
| Sticky Currant | <i>Ribes viscosissimum</i> | Grossulariaceae |
| Spring Gooseberry | <i>Ribes watsonianum</i> | Grossulariaceae |
| Mock Orange | <i>Philadelphus lewisii</i> | Hydrangeaceae |
| Dwarf Hesperochiron | <i>Hesperochiron pumilus</i> | Hydrophyllaceae |
| Ballhead Waterleaf | <i>Hydrophyllum capitatum</i> v. <i>capitatum</i> | Hydrophyllaceae |
| Ballhead Waterleaf | <i>Hydrophyllum capitatum</i> v. <i>thompsonii</i> | Hydrophyllaceae |
| Woods Nemophila | <i>Nemophila parviflora</i> v. <i>parviflora</i> | Hydrophyllaceae |
| Meadow Nemophila | <i>Nemophila pedunculata</i> | Hydrophyllaceae |
| Varileaf Phacelia | <i>Phacelia heterophylla</i> | Hydrophyllaceae |
| Narrow-sepaled Phacelia | <i>Phacelia leptosepala</i> | Hydrophyllaceae |
| Tall Phacelia | <i>Phacelia procera</i> | Hydrophyllaceae |
| Western Blue Flag | <i>Iris missouriensis</i> | Iridaceae |
| Grass Widow | <i>Olsynium douglasii</i> v. <i>douglasii</i> | Iridaceae |
| Arctic Rush | <i>Juncus balticus</i> | Juncaceae |
| Toad Rush | <i>Juncus bufonius</i> | Juncaceae |
| Field Rush | <i>Juncus campestris</i> ? | Juncaceae |
| Daggerleaf Rush | <i>Juncus ensifolius</i> v. <i>ensifolius</i> | Juncaceae |
| Dwarf Rush | <i>Juncus hemiendytus</i> | Juncaceae |
| Woodrush | <i>Luzula</i> sp. | Juncaceae |
| Western Giant Hyssop | <i>Agastache occidentalis</i> | Lamiaceae |
| Field Mint | <i>Mentha arvensis</i> | Lamiaceae |
| Self Heal | <i>Prunella vulgaris</i> ssp. <i>lanceolata</i> | Lamiaceae |
| Self Heal | <i>Prunella vulgaris</i> v. <i>vulgaris</i> | Lamiaceae |
| Cooley's Hedge-nettle | <i>Stachys chamissonis</i> v. <i>cooleyae</i> | Lamiaceae |
| Mt. Blue-curls | <i>Trichostema oblongum</i> | Lamiaceae |
| Duckweed | <i>Lemna</i> sp. | Lemnaceae |
| Taper-tip Onion | <i>Allium accuminatum</i> | Liliaceae |
| Rock Onion | <i>Allium macrum</i> | Liliaceae |
| Long-bearded Segó Lily | <i>Calochortus longebarbatus</i> v. <i>longebarbatus</i> | Liliaceae |
| Green-banded Mariposa Lily | <i>Calochortus macrocarpus</i> v. <i>macrocarpus</i> | Liliaceae |
| Cascade Mariposa Lily /Cat's-ear Lily | <i>Calochortus subalpinus</i> | Liliaceae |
| Common Camas | <i>Camassia quamash</i> v. <i>breviflora</i> | Liliaceae |
| Bead Lily | <i>Clintonia uniflora</i> | Liliaceae |

| | | |
|----------------------------------|---|------------------|
| Glacier Lily | <i>Erythronium grandiflorum</i> v. <i>grandiflorum</i> | Liliaceae |
| Yellow Bells | <i>Fritillaria pudica</i> | Liliaceae |
| Columbia Lily | <i>Lilium columbianum</i> | Liliaceae |
| False Solomon Seal | <i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> | Liliaceae |
| Star-flowered False Solomon Seal | <i>Maianthemum stellatum</i> | Liliaceae |
| Hooker's Fairy Bells | <i>Prosartes hookeri</i> v. <i>oreganum</i> | Liliaceae |
| Claspingleaf Twistedstalk | <i>Streptopus amplexifolius</i> v. <i>amplexifolius</i> | Liliaceae |
| Rosy Twistedstalk | <i>Streptopus lanceolatus</i> | Liliaceae |
| Western Wake Robin | <i>Trillium ovatum</i> | Liliaceae |
| Bicolored Cluster Lily | <i>Triteleia grandiflora</i> ssp. <i>howellii</i> | Liliaceae |
| Hyacinth Cluster Lily | <i>Triteleia hyacinthina</i> | Liliaceae |
| Green False Hellebore | <i>Veratrum viride</i> v. <i>eschscholtzii</i> | Liliaceae |
| Panicled Death-camas | <i>Zigadenus paniculatus</i> | Liliaceae |
| Meadow Death Camas | <i>Zigadenus venenosus</i> v. <i>venosus</i> | Liliaceae |
| Northwest Yellow Flax | <i>Linum digynum</i> | Linaceae |
| Mountain Hollyhock | <i>Iliamna rivularis</i> | Malvaceae |
| Oregon Checkermallow | <i>Sidalcea oregana</i> v. <i>procera</i> | Malvaceae |
| Fireweed | <i>Chamerion angustifolium</i> | Onagraceae |
| Enchanter's Nightshade | <i>Circaea alpina</i> ssp. <i>pacifica</i> | Onagraceae |
| Slender Godetia | <i>Clarkia gracilis</i> | Onagraceae |
| Common Clarkia | <i>Clarkia rhomboidea</i> | Onagraceae |
| Tall Annual Willowherb | <i>Epilobium brachycarpum</i> | Onagraceae |
| Watson's Willowherb? | <i>Epilobium ciliatum</i> ssp. <i>watsonii</i> ? | Onagraceae |
| Dense Spike-primrose | <i>Epilobium densiflorum</i> | Onagraceae |
| Small-flowered Willow Herb | <i>Epilobium minutum</i> | Onagraceae |
| Spreading Groundsmoke | <i>Gayophytum diffusum</i> | Onagraceae |
| Blackfoot Groundsmoke | <i>Gayophytum racemosum</i> | Onagraceae |
| Leathery Grapefern | <i>Botrychium multifidum</i> | Ophioglossoideae |
| Fairy Slipper | <i>Calypso bulbosa</i> | Orchidaceae |
| Merten's Coralroot | <i>Corallorhiza mertensiana</i> | Orchidaceae |
| Mountain Lady Slipper | <i>Cypripedium montanum</i> | Orchidaceae |
| Rattlesnake Plantain | <i>Goodyera oblongifolia</i> | Orchidaceae |
| Heart-leaf Twayblade | <i>Listera cordata</i> | Orchidaceae |
| Alaska Rein Orchid | <i>Piperia unalascensis</i> | Orchidaceae |
| White Bog Orchid | <i>Platanthera dilatata</i> v. <i>dilatata</i> | Orchidaceae |
| Slender Bog Orchid | <i>Platanthera stricta</i> | Orchidaceae |
| Hooded Ladies' Tresses | <i>Spiranthes romanzoffiana</i> | Orchidaceae |
| Clustered Broomrape | <i>Orobanche fasciculata</i> | Orobanchaceae |
| Naked Broomrape | <i>Orobanche uniflora</i> var. <i>purpurea</i> | Orobanchaceae |
| Pacific Silver Fir | <i>Abies amabilis</i> | Pinaceae |
| Grand Fir | <i>Abies grandis</i> | Pinaceae |
| Subalpine Fir | <i>Abies lasiocarpa</i> v. <i>lasiocarpa</i> | Pinaceae |
| Western Larch | <i>Larix occidentalis</i> | Pinaceae |
| Lodgepole Pine | <i>Pinus contorta</i> | Pinaceae |
| Western White Pine | <i>Pinus monticola</i> | Pinaceae |
| Ponderosa Pine | <i>Pinus ponderosa</i> | Pinaceae |
| Douglas Fir | <i>Pseudotsuga menziesii</i> | Pinaceae |
| Western Hemlock | <i>Tsuga heterophylla</i> | Pinaceae |
| English Plantain | <i>Plantago lanceolata</i> | Plantaginaceae |
| Common Plantain | <i>Plantago major</i> | Plantaginaceae |
| Lemmon's Needlegrass? | <i>Achnatherum lemmonii</i> v. <i>lemmonii</i> ? | Poaceae |
| Spike Bentgrass | <i>Agrostis exarata</i> | Poaceae |

| | | |
|-----------------------------------|---|---------------|
| Native Brome | <i>Bromus carinatus</i> v. <i>carinatus</i> ? | Poaceae |
| Soft Brome | <i>Bromus mollis</i> | Poaceae |
| Alaska Brome | <i>Bromus sitchensis</i> ? | Poaceae |
| Cheat Grass | <i>Bromus tectorum</i> | Poaceae |
| Pine Grass | <i>Calamagrostis rubescens</i> | Poaceae |
| California Oatgrass | <i>Danthonia californica</i> | Poaceae |
| Few-flowered Oatgrass | <i>Danthonia unispicata</i> | Poaceae |
| Annual Hairgrass | <i>Deschampsia danthonioides</i> | Poaceae |
| Bottlebrush Squirreltail | <i>Elymus elymoides</i> ssp. <i>elymoides</i> | Poaceae |
| Idaho Fescue | <i>Festuca idahoensis</i> | Poaceae |
| Red Fescue | <i>Festuca rubra</i> | Poaceae |
| Foxtail Barley | <i>Hordeum jubatum</i> | Poaceae |
| Prairie Junegrass | <i>Koeleria macrantha</i> | Poaceae |
| Pull-up Muhly | <i>Muhlenbergia filiformis</i> | Poaceae |
| Bulbous Blue Grass | <i>Poa bulbosa</i> | Poaceae |
| Canada Bluegrass | <i>Poa compressa</i> | Poaceae |
| Sandberg's Bluegrass | <i>Poa secunda</i> ssp. <i>secunda</i> | Poaceae |
| Voodoo Grass / North Africa Grass | <i>Ventenata dubia</i> | Poaceae |
| Small Fescue ? | <i>Vulpia</i> sp. ? | Poaceae |
| Rattan's Blue-eyed Mary | <i>Collinsia rattanii</i> | Polemoniaceae |
| Large-flowered Collomia | <i>Collomia grandiflora</i> | Polemoniaceae |
| Varied-leaf Collomia | <i>Collomia heterophylla</i> | Polemoniaceae |
| Narrowleaf Collomia | <i>Collomia linearis</i> | Polemoniaceae |
| Scarlet Gilia | <i>Ipomopsis aggregata</i> ssp. <i>aggregata</i> | Polemoniaceae |
| Bicolored Baby Stars | <i>Linanthus bicolor</i> | Polemoniaceae |
| Harkness Flaxflower | <i>Linanthus harknessii</i> ssp. <i>harknessii</i> | Polemoniaceae |
| Midget Phlox | <i>Microsteris gracilis</i> | Polemoniaceae |
| Mountain Navarretia | <i>Navarretia divaricata</i> ssp. <i>divaricata</i> | Polemoniaceae |
| Needle-leaf Navarretia | <i>Navarretia intertexta</i> (v. <i>propinqua</i> ?) | Polemoniaceae |
| Needleleaf Navarretia | <i>Navarretia intertexta</i> v. <i>intertexta</i> | Polemoniaceae |
| Least Navaretia | <i>Navarretia leucocephala</i> | Polemoniaceae |
| Midget Phlox | <i>Phlox gracilis</i> | Polemoniaceae |
| Showy Phlox | <i>Phlox speciosus</i> v. | Polemoniaceae |
| California Polemonium | <i>Polemonium californicum</i> | Polemoniaceae |
| Western Polemonium | <i>Polemonium occidentale</i> ssp. <i>occidentale</i> | Polemoniaceae |
| American Bistort | <i>Bistorta bistortoides</i> | Polygonaceae |
| Pussypaws | <i>Cistanthe umbellata</i> v. <i>caudicifera</i> | Polygonaceae |
| Heartleaf Buckwheat | <i>Eriogonum compositum</i> v. <i>compositum</i> | Polygonaceae |
| Douglas' Buckwheat | <i>Eriogonum douglasii</i> (v. ?) | Polygonaceae |
| Tall Buckwheat | <i>Eriogonum elatum</i> | Polygonaceae |
| Sulfur-flower Buckwheat | <i>Eriogonum umbellatum</i> v. <i>umbellatum</i> | Polygonaceae |
| Common Knotweed | <i>Polygonum aviculare</i> | Polygonaceae |
| Closeflowered Knotweed | <i>Polygonum confertiflorum</i> | Polygonaceae |
| Douglas' Knotweed | <i>Polygonum douglasii</i> | Polygonaceae |
| Kellogg's Knotweed | <i>Polygonum polygaloides</i> ssp. <i>kelloggii</i> | Polygonaceae |
| Sheep Sorrel | <i>Rumex acetosella</i> | Polygonaceae |
| Curly Dock | <i>Rumex crispus</i> | Polygonaceae |
| Willow-leaved Dock | <i>Rumex saliciformis</i> | Polygonaceae |
| Licorice Fern | <i>Polypodium glycyrrhiza</i> | Polypodiaceae |
| Broad-leaved Spring Beauty | <i>Claytonia cordifolia</i> | Portulacaceae |
| Western Spring Beauty | <i>Claytonia lanceolata</i> v. <i>lanceolata</i> | Portulacaceae |
| Miner's Lettuce | <i>Claytonia perfoliata</i> v. | Portulacaceae |

| | | |
|-------------------------------|--|---------------|
| Red Miner's Lettuce | Claytonia rubra | Portulacaceae |
| Threeleaf Lewisia | Lewisia triphylla | Portulacaceae |
| Water Montia | Montia chamissoi | Portulacaceae |
| Dwarf Montia | Montia dichotoma | Portulacaceae |
| Water Chickweed | Montia fontana | Portulacaceae |
| Line-leaf Montia | Montia linearis | Portulacaceae |
| Desert Shooting Star | Dodecatheon conjugens | Primulaceae |
| Tall Mt. Shooting Star | Dodecatheon jeffreyi | Primulaceae |
| Poet's Shooting Star ? | Dodecatheon poeticum | Primulaceae |
| Broadleaf Starflower | Trientalis latifolia | Primulaceae |
| Lace-lip Fern | Cheilanthes gracillima | Pteridaceae |
| Bane Berry | Actaea rubra | Ranunculaceae |
| Blue Windflower | Anemone oregana v. oregana | Ranunculaceae |
| Western Columbine | Aquilegia formosa v. formosa | Ranunculaceae |
| White Marsh-marigold | Caltha leptosepala ssp. howellii | Ranunculaceae |
| Meadow Larkspur | Delphinium distichum | Ranunculaceae |
| Menzie's Larkspur | Delphinium menziesii ? | Ranunculaceae |
| Upland Larkspur | Delphinium nuttallianum | Ranunculaceae |
| Bristly Mousetail | Myosurus apetalus | Ranunculaceae |
| Mousetail | Myosurus minimus | Ranunculaceae |
| Dwarf Waterplantain Buttercup | Ranunculus alismifolius v. alismellus | Ranunculaceae |
| White Water Buttercup | Ranunculus aquatilis | Ranunculaceae |
| Creeping Buttercup | Ranunculus flammula | Ranunculaceae |
| Sagebrush Buttercup | Ranunculus glaberrimus v. | Ranunculaceae |
| Western Buttercup | Ranunculus occidentalis v. occidentalis | Ranunculaceae |
| Western Meadow Rue | Thalictrum occidentale | Ranunculaceae |
| Western Bugbane | Trautvetaria carolinensis | Ranunculaceae |
| Deerbrush | Ceanothus integerrimus | Rhamnaceae |
| Mahala Mat | Ceanothus prostratus | Rhamnaceae |
| Redstem Ceanothus | Ceanothus sanguineus | Rhamnaceae |
| Snowbrush | Ceanothus velutinus v. velutinus | Rhamnaceae |
| Cascara | Rhamnus purshiana | Rhamnaceae |
| Cusick's Serviceberry | Amelanchier alnifolia v. cusickii | Rosaceae |
| Serviceberry | Amelanchier alnifolia v. semiintegrifolia | Rosaceae |
| Goat'sbeard | Aruncus dioica | Rosaceae |
| Woods Strawberry | Fragaria vesca ssp. bracteata | Rosaceae |
| Broadpetal Strawberry | Fragaria virginiana var. platypetala | Rosaceae |
| Annual Bedstraw | Galium aparine v. echinospermum | Rosaceae |
| Large-leaf Avens | Geum macrophyllum v. macrophyllum | Rosaceae |
| Prairie Smoke | Geum triflorum var. ciliatum | Rosaceae |
| Creambush Oceanspray | Holodiscus discolor | Rosaceae |
| Pinewoods Horkelia | Horkelia fusca ssp. fusca | Rosaceae |
| Ninebark | Physocarpus capitatus | Rosaceae |
| Mallow Ninebark | Physocarpus malvaceus | Rosaceae |
| Cinquefoil | Potentilla arguta or Potentilla glandulosa | Rosaceae |
| Drummond's Cinquefoil | Potentilla drummondii v. drummondii | Rosaceae |
| Sticky Cinquefoil | Potentilla glandulosa ssp. nevadensis | Rosaceae |
| Sticky Cinquefoil | Potentilla glandulosa v. reflexa | Rosaceae |
| Graceful Cinquefoil | Potentilla gracilis v. | Rosaceae |
| Sulphur Cinquefoil | Potentilla recta | Rosaceae |
| Bitter Cherry | Prunus emarginata v. emarginata | Rosaceae |
| Chokecherry | Prunus virginiana v. melanocarpa | Rosaceae |

| | | |
|-------------------------------|---|------------------|
| Antelope Bitterbrush | <i>Purshia tridentata</i> | Rosaceae |
| Baldhip Rose | <i>Rosa gymnocarpa</i> | Rosaceae |
| Nootka Rose | <i>Rosa nutkana</i> v. <i>hispida</i> | Rosaceae |
| Clustered Rose | <i>Rosa pisocarpa</i> | Rosaceae |
| Pearhip Rose | <i>Rosa woodsii</i> v. <i>ultramontana</i> | Rosaceae |
| Dwarf Bramble | <i>Rubus lasiococcus</i> | Rosaceae |
| Black Raspberry | <i>Rubus leucodermis</i> v. <i>leucodermis</i> | Rosaceae |
| Thimbleberry | <i>Rubus parviflorus</i> v. <i>parviflorus</i> | Rosaceae |
| Pacific Trailing Blackberry | <i>Rubus ursinus</i> v. <i>macropetalus</i> | Rosaceae |
| Annual Burnet | <i>Sanguisorba occidentalis</i> | Rosaceae |
| Cascade Mt. Ash | <i>Sorbus scopulina</i> v. <i>cascadensis</i> | Rosaceae |
| White Spiraea | <i>Spiraea betulifolia</i> var. <i>lucida</i> | Rosaceae |
| Hardhack | <i>Spiraea douglasii</i> | Rosaceae |
| Northern Bedstraw | <i>Galium boreale</i> | Rubiaceae |
| Small Bedstraw | <i>Galium trifidum</i> ssp. <i>columbianum</i> | Rubiaceae |
| Fragrant Bedstraw | <i>Galium triflorum</i> | Rubiaceae |
| Milk Kelloggia | <i>Kelloggia galioides</i> | Rubiaceae |
| Black Cottonwood | <i>Populus balsamifera</i> ssp. <i>trichocarpa</i> | Salicaceae |
| Quaking Aspen | <i>Populus tremuloides</i> | Salicaceae |
| Scouler's Willow | <i>Salix scouleriana</i> | Salicaceae |
| Roundleaf Alumroot | <i>Heuchera cylindrica</i> v. | Saxifragaceae |
| Thinleaf Alumroot | <i>Heuchera grossulariifolia</i> v. <i>tenuifolia</i> ? | Saxifragaceae |
| Bulblet Prairie Star | <i>Lithophragma glabrum</i> (L. <i>bulbifera</i>) | Saxifragaceae |
| Small-flowered Prairie Star | <i>Lithophragma parviflorum</i> | Saxifragaceae |
| Five-stamen Mitrewort | <i>Mitella pentandra</i> | Saxifragaceae |
| Pacific Mitrewort | <i>Mitella trifida</i> v. <i>trifida</i> | Saxifragaceae |
| Northwestern Saxifrage | <i>Saxifraga integrifolia</i> v. <i>claytonaeifolia</i> ? | Saxifragaceae |
| Northwestern Saxifrage | <i>Saxifraga integrifolia</i> v. <i>integrifolia</i> | Saxifragaceae |
| Merten's Saxifrage | <i>Saxifraga mertensiana</i> | Saxifragaceae |
| Brook Saxifrage | <i>Saxifraga odontoloma</i> | Saxifragaceae |
| Bog Saxifrage | <i>Saxifraga oregana</i> | Saxifragaceae |
| Violet Suksdorfia | <i>Suksdorfia violacea</i> | Saxifragaceae |
| Foamflower | <i>Tiarella trifoliata</i> v. <i>unifoliata</i> | Saxifragaceae |
| Harsh Paintbrush | <i>Castilleja hispida</i> v. <i>hispida</i> | Scrophulariaceae |
| Common Paintbrush | <i>Castilleja miniata</i> v. <i>miniata</i> | Scrophulariaceae |
| Suksdorf's Paintbrush | <i>Castilleja suksdorfii</i> | Scrophulariaceae |
| Hairy Paintbrush | <i>Castilleja tenuis</i> | Scrophulariaceae |
| Small-flowered Blue-eyed Mary | <i>Collinsia parviflora</i> | Scrophulariaceae |
| Bractless Hedge-hyssop | <i>Gratiola ebracteata</i> | Scrophulariaceae |
| Dalmatian Toadflax | <i>Linaria dalmatica</i> | Scrophulariaceae |
| Short-flowered Monkey Flower | <i>Mimulus breviplorus</i> | Scrophulariaceae |
| Brewer's Monkey Flower | <i>Mimulus breweri</i> | Scrophulariaceae |
| Common Monkey Flower | <i>Mimulus guttatus</i> | Scrophulariaceae |
| Lewis' Monkey Flower | <i>Mimulus lewisii</i> | Scrophulariaceae |
| Musk Monkey Flower | <i>Mimulus moschatus</i> | Scrophulariaceae |
| Primrose Monkey Flower | <i>Mimulus primuloides</i> | Scrophulariaceae |
| Pulsifer's Monkeyflower | <i>Mimulus pulsiferae</i> | Scrophulariaceae |
| Tiling's Monkeyflower | <i>Mimulus tilingii</i> | Scrophulariaceae |
| Woodland Beardtongue | <i>Nothochelone nemorosa</i> | Scrophulariaceae |
| Elephant's Head | <i>Pedicularis groenlandica</i> | Scrophulariaceae |
| Sickle-top Lousewort | <i>Pedicularis racemosa</i> ssp. <i>racemosa</i> | Scrophulariaceae |
| Taper-tip Penstemon | <i>Penstemon attenuatus</i> v. <i>attenuatus</i> | Scrophulariaceae |

| | | |
|---------------------------|---|------------------|
| Barrett's Penstemon | <i>Penstemon barrettiae</i> | Scrophulariaceae |
| Glaucous Penstemon | <i>Penstemon euglaucous</i> | Scrophulariaceae |
| Shrubby Penstemon | <i>Penstemon fruticosus</i> v. <i>fruticosus</i> | Scrophulariaceae |
| Lowly Penstemon | <i>Penstemon humilis</i> | Scrophulariaceae |
| Rydberg's Penstemon | <i>Penstemon rydbergii</i> (v. <i>rydbergii</i> ?) | Scrophulariaceae |
| Cutleaf Penstemon | <i>Penstemon richardsonii</i> v. <i>richardsonii</i> | Scrophulariaceae |
| Rydberg's Penstemon | <i>Penstemon rydbergii</i> | Scrophulariaceae |
| Cascade Penstemon | <i>Penstemon serrulatus</i> | Scrophulariaceae |
| Finetooth Penstemon | <i>Penstemon subserratus</i> | Scrophulariaceae |
| Lanceolate Figwort | <i>Scrophularia lanceolata</i> | Scrophulariaceae |
| Common Mullein | <i>Verbascum thapsus</i> | Scrophulariaceae |
| American Brooklime | <i>Veronica americana</i> | Scrophulariaceae |
| Water Speedwell | <i>Veronica anagallis-aquatica</i> | Scrophulariaceae |
| Purslane Speedwell | <i>Veronica peregrina</i> v. <i>xalapensis</i> | Scrophulariaceae |
| Marsh Speedwell | <i>Veronica scutellata</i> | Scrophulariaceae |
| American Alpine Speedwell | <i>Veronica wormskjoldii</i> | Scrophulariaceae |
| Pacific Yew | <i>Taxus brevifolia</i> | Taxaceae |
| Common Cat-tail | <i>Typha latifolia</i> | Typhaceae |
| White Plectritis | <i>Plectritis macrocera</i> | Valerianaceae |
| Mountain Heliotrope | <i>Valeriana sitchensis</i> | Valerianaceae |
| Lamb's Lettuce | <i>Valerianella locusta</i> | Valerianaceae |
| Hookedspur Violet | <i>Viola adunca</i> | Violaceae |
| Baker's Violet | <i>Viola bakeri</i> (V. <i>nuttallii</i> v. <i>bakeri</i>) | Violaceae |
| Stream Violet | <i>Viola glabella</i> | Violaceae |
| Marsh Violet | <i>Viola palustris</i> | Violaceae |
| Goosefoot Violet | <i>Viola purpurea</i> v. | Violaceae |
| Round-leaved Violet | <i>Violet orbiculata</i> | Violaceae |