

Klickitat Trail
Klickitat Wild and Scenic River
Fisher Hill Bridge to Pitt
Klickitat County, WA

T3N R12E S25, 26 & T3N R13E S5, 8, 17, 18, 19 & T4N R13E S32

Compiled by Paul Slichter. Updated April 4, 2010

Flora Northwest- <http://science.halleyhosting.com>

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|----------------------------|--|-----------------|
| Big-leaf Maple | <i>Acer macrophyllum</i> | Aceraceae |
| Water Plantain | <i>Alisma plantago-aquatica</i> | Alismataceae |
| Poison Oak | <i>Toxicodendron diversilobum</i> | Anacardiaceae |
| Bur Chervil | <i>Anthriscus caucalis</i> | Apiaceae |
| Wild Carrot | <i>Daucus carota</i> | Apiaceae |
| Columbia Desert Parsley | <i>Lomatium columbianum</i> | Apiaceae |
| Fernleaf Desert Parsley | <i>Lomatium dissectum</i> (v. ?) | Apiaceae |
| Pungent Desert Parsley | <i>Lomatium grayii</i> | Apiaceae |
| Biscuitroot | <i>Lomatium macrocarpum</i> | Apiaceae |
| Bare-stem Desert Parsley | <i>Lomatium nudicaule</i> | Apiaceae |
| Salt and Pepper | <i>Lomatium piperi</i> | Apiaceae |
| Nineleaf Desert Parsley | <i>Lomatium triternatum</i> (v. ?) | Apiaceae |
| Western Snake Root | <i>Sanicula crassicaulis</i> | Apiaceae |
| Milkweed | <i>Asclepias</i> sp. | Asclepiadiaceae |
| Yarrow | <i>Achillea millefolium</i> | Asteraceae |
| Western Wormwood | <i>Artemisia ludoviciana</i> (v. ?) | Asteraceae |
| Northwest Balsamorhiza | <i>Balsamorhiza deltoidea</i> ? | Asteraceae |
| Knapweed | <i>Centaurea</i> sp. | Asteraceae |
| Gold Stars | <i>Crocidium multicaule</i> | Asteraceae |
| Gumweed | <i>Grindelia</i> sp. | Asteraceae |
| Hairy False Goldenaster | <i>Heterotheca villosa</i> | Asteraceae |
| Common Dandelion | <i>Taraxacum officinale</i> | Asteraceae |
| Salsify | <i>Tragopogon dubius</i> | Asteraceae |
| Shining Oregon Grape | <i>Berberis aquifolium</i> | Berberidaceae |
| Alder | <i>Alnus</i> sp. | Betulaceae |
| Hazelnut | <i>Corylus cornuta</i> var. <i>californica</i> | Betulaceae |
| Rigid Fiddleneck | <i>Amsinckia retrorsa</i> | Boraginaceae |
| Common Cryptanth | <i>Cryptantha intermedia</i> | Boraginaceae |
| Great Hound's Tongue | <i>Cynoglossum grande</i> | Boraginaceae |
| Common Hound's Tongue | <i>Cynoglossum officinale</i> ? | Boraginaceae |
| Slender Popcorn Flower | <i>Plagiobothrys tenellus</i> | Boraginaceae |
| Hairy Bittercress | <i>Cardamine hirsuta</i> | Brassicaceae |
| Oaks Toothwort | <i>Cardamine nuttallii</i> | Brassicaceae |
| Little Western Bittercress | <i>Cardamine oligosperma</i> | Brassicaceae |
| Spring Whitlow Grass | <i>Draba verna</i> | Brassicaceae |
| Glossy Red Bryum Moss | <i>Bryum miniatum</i> | Bryaceae |
| Elderberry | <i>Sambucus</i> sp. | Caprifoliaceae |
| Common Snowberry | <i>Symphoricarpos albus</i> | Caprifoliaceae |
| Chickweed | <i>Cerastium</i> (nutans?) | Caryophyllaceae |
| Jagged Chickweed | <i>Holosteum umbellatum</i> | Caryophyllaceae |

| | | |
|-----------------------------------|---|------------------|
| Soapweed | <i>Saponaria officinalis</i> | Caryophyllaceae |
| Chickweed | <i>Stellaria media</i> | Caryophyllaceae |
| Creek Dogwood | <i>Cornus sericea</i> | Cornaceae |
| Leiberg's Stonecrop | <i>Sedum leibergii</i> | Crassulaceae |
| Manroot | <i>Marah oreganus</i> | Cucurbitaceae |
| Elk Sedge | <i>Carex geyeri</i> ? | Cyperaceae |
| Nebraska Sedge | <i>Carex nebrascensis</i> ? | Cyperaceae |
| Bracken Fern | <i>Pteridium aquilinum</i> | Dennstaedtiaceae |
| Fuller's Teasel | <i>Dipsacus sylvestris</i> | Dipsacaceae |
| Brittle Fern or Oregon Cliff Fern | <i>Cystopteris fragilis</i> or <i>Woodsia oregana</i> ? | Dryopteridaceae |
| Imbricate Sword Fern | <i>Polystichum (imbricans?)</i> | Dryopteridaceae |
| Field Rush | <i>Equisetum arvense</i> | Equisetaceae |
| Scouring-rush Horsetail | <i>Equisetum hyemale</i> | Equisetaceae |
| Everlasting Pea | <i>Lathyrus latifolius</i> | Fabaceae |
| Columbia Gorge Lupine | <i>Lupinus latifolius</i> v. <i>thompsonianus</i> | Fabaceae |
| Velvet Lupine | <i>Lupinus leucophyllus</i> | Fabaceae |
| Rabbitfoot Clover | <i>Trifolium arvense</i> | Fabaceae |
| Vetch | <i>Vicia</i> sp. | Fabaceae |
| Oregon White Oak | <i>Quercus garryana</i> | Fagaceae |
| Dutchman's Breeches | <i>Dicentra cucullaria</i> | Fumariaceae |
| Filaree | <i>Erodium cicutarium</i> | Geraniaceae |
| Geranium | <i>Geranium</i> sp. | Geraniaceae |
| Mock Orange | <i>Philadelphus lewisii</i> | Hydrangeaceae |
| Ball-head Waterleaf | <i>Hydrophyllum capitatum</i> v. <i>thompsonii</i> | Hydrophyllaceae |
| Meadow Nemophila | <i>Nemophila pedunculata</i> | Hydrophyllaceae |
| Varileaf Phacelia | <i>Phacelia heterophylla</i> | Hydrophyllaceae |
| Klamath Weed | <i>Hypericum perforatum</i> | Hypericaceae |
| Grass Widows | <i>Olsynium douglasii</i> v. <i>douglasii</i> | Iridaceae |
| Common Rush | <i>Juncus effusus</i> (ssp. ?) | Juncaceae |
| Daggerleaf Rush | <i>Juncus ensifolius</i> | Juncaceae |
| Common Woodrush ? | <i>Luzula multiflora</i> (L. <i>campestris</i> v. <i>congesta</i>) | Juncaceae |
| Henbit | <i>Lamium amplexicaule</i> | Lamiaceae |
| Common Duckweed | <i>Lemna minor</i> | Lemnaceae |
| Tapertip Onion | <i>Allium accuminatum</i> | Liliaceae |
| Common Camas | <i>Camassia quamash</i> (v. ?) | Liliaceae |
| Ball-head Cluster Lily | <i>Dichelostemma congestum</i> | Liliaceae |
| Chocolate Lily | <i>Fritillaria affinis</i> | Liliaceae |
| Bicolor Cluster Lily | <i>Tritelia grandiflora</i> var. <i>howellii</i> | Liliaceae |
| Panicle Deathcamas | <i>Zigadenus paniculatus</i> | Liliaceae |
| Diamond Clarkia? | <i>Clarkia rhomboidea</i> | Onagraceae |
| Annual Willowherb | <i>Epilobium brachycarpum</i> | Onagraceae |
| Naked Broomrape | <i>Orobanche uniflora</i> v. <i>purpurea</i> | Orobanchaceae |
| California Poppy | <i>Eschscholzia californica</i> | Papavaraceae |
| Wolf Lichen | <i>Letharia vulpina</i> | Parmeliaceae |
| Ponderosa Pine | <i>Pinus ponderosa</i> | Pinaceae |
| Narrowleaf Plantain | <i>Plantago lanceolata</i> | Plantaginaceae |
| Bristly Dog's-tail Grass | <i>Cynosurus echinata</i> | Poaceae |
| Bulbous Bluegrass | <i>Poa bulbosa</i> | Poaceae |
| Medusa Head | <i>Taeniatherum caput-medusae</i> | Poaceae |

| | | |
|-------------------------------|--|------------------|
| Midget Phlox | <i>Microsteris gracilis</i> | Polemoniaceae |
| Heart-leaf Buckwheat | <i>Eriogonum compositum</i> v. <i>compositum</i> | Polygonaceae |
| Strict Buckwheat | <i>Eriogonum strictum</i> v. <i>proliferum</i> | Polygonaceae |
| Sheep Sorrel | <i>Rumex acetosella</i> | Polygonaceae |
| Curly Dock | <i>Rumex crispus</i> | Polygonaceae |
| Streambank Springbeauty | <i>Claytonia parviflora</i> | Portulacaceae |
| Miner's Lettuce | <i>Claytonia perfoliata</i> (ssp. <i>perfoliata</i> ?) | Portulacaceae |
| Lineleaf Montia | <i>Montia linearis</i> | Portulacaceae |
| Desert Shooting Star | <i>Dodecatheon conjugens</i> | Primulaceae |
| Poet's Shooting Star | <i>Dodecatheon poeticum</i> | Primulaceae |
| Indian's Dream | <i>Aspidotis densa</i> | Pteridaceae |
| Clematis | <i>Clematis (ligusticifolia</i> ?) | Ranunculaceae |
| Upland Larkspur | <i>Delphinium nuttallianum</i> v. <i>nuttallianum</i> | Ranunculaceae |
| Western Buttercup | <i>Ranunculus occidentalis</i> | Ranunculaceae |
| Deerbrush | <i>Ceanothus integerrimus</i> | Rhamnaceae |
| Serviceberry | <i>Amelanchier alnifolia</i> (v. ?) | Rosaceae |
| Field Parsley Piert | <i>Aphanes arvensis</i> (<i>Alchemilla occidentalis</i>) | Rosaceae |
| Oceanspray | <i>Holodiscus discolor</i> | Rosaceae |
| Ninebark | <i>Physocarpus</i> sp. | Rosaceae |
| Sticky Cinquefoil | <i>Potentilla glandulosa</i> (v. ?) | Rosaceae |
| Sulphur Cinquefoil | <i>Potentilla recta</i> ? | Rosaceae |
| Chokecherry | <i>Prunus virginiana</i> var. <i>melanocarpa</i> ? | Rosaceae |
| Antelope Bitterbrush | <i>Purshia tridentata</i> | Rosaceae |
| Baldhip Rose | <i>Rosa gymnocarpa</i> | Rosaceae |
| Himalayan Blackberry | <i>Rubus armeniacus</i> | Rosaceae |
| Evergreen Blackberry | <i>Rubus laciniata</i> | Rosaceae |
| Pacific Trailing Blackberry | <i>Rubus ursinus</i> v. <i>macropetalus</i> | Rosaceae |
| Annual Burnet | <i>Sanguisorba annua</i> | Rosaceae |
| Douglas' Spiraea | <i>Spiraea douglasii</i> (v. ?) | Rosaceae |
| Annual Bedstraw | <i>Galium aparine</i> | Rubiaceae |
| Willow #1 | <i>Salix</i> sp. | Salicaceae |
| Willow #2 | <i>Salix</i> sp. | Salicaceae |
| Common Bastard Toad-flax | <i>Comandra umbellata</i> var. <i>californica</i> | Santalaceae |
| | | Saxifragaceae |
| Bulblet Prairie Star | <i>Lithophragma bulbifera</i> | Saxifragaceae |
| Smooth Praire Star | <i>Lithophragma glabrum</i> | Saxifragaceae |
| Small-flowered Prairie Star | <i>Lithophragma parviflorum</i> | Saxifragaceae |
| Northwestern Saxifrage | <i>Saxifraga integrifolia</i> v. <i>integrifolia</i> | Saxifragaceae |
| Peak Saxifrage | <i>Saxifraga nidifica</i> v. <i>claytoniifolia</i> | Saxifragaceae |
| Small-flowered Blue-eyed Mary | <i>Collinsia parviflora</i> | Scrophulariaceae |
| Dalmatian Toadflax | <i>Linaria dalmatica</i> | Scrophulariaceae |
| Common Monkey Flower | <i>Mimulus guttatus</i> | Scrophulariaceae |
| Small-flowered Tonella | <i>Tonella tenella</i> | Scrophulariaceae |
| Common Mullein | <i>Verbascum thapsus</i> | Scrophulariaceae |
| Wallace's Spikemoss | <i>Selaginella wallacei</i> | Selaginellaceae |
| Broadleaf Cattail | <i>Typha latifolia</i> | Typhaceae |
| White Plectritis | <i>Plectritis macrocera</i> | Valerianaceae |