

Steptoe Butte State Park
Whitman County, WA
T18N R44E S 19, 20, 29, 30

Updated January 22, 2010

Flora Northwest- <http://science.halleyhosting.com>

List compiled from personal observations by Paul Slichter & from historical records.

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|---|--|---------------|
| Douglas' Maple | <i>Acer glabrum</i> v. <i>douglasii</i> | Aceraceae |
| Poison Hemlock | <i>Conium maculatum</i> | Apiaceae |
| Cow Parsnip | <i>Heracleum maximum</i> | Apiaceae |
| Fernleaf Desert Parsley | <i>Lomatium dissectum</i> v. <i>multifidum</i> | Apiaceae |
| Pungent Desert Parsley | <i>Lomatium grayi</i> | Apiaceae |
| Nine-leaf Desert Parsley | <i>Lomatium triternatum</i> v. <i>triternatum</i> | Apiaceae |
| Common Sweet Cicely | <i>Osmorhiza berteroii</i> | Apiaceae |
| Spreading Dogbane | <i>Apocynum androsaemifolium</i> | Apocynaceae |
| Yarrow | <i>Achillea millefolium</i> | Asteraceae |
| Large-flowered Agoseris | <i>Agoseris grandiflora</i> | Asteraceae |
| Rosy Pussytoes? Bracts were whitish rather than pink. | <i>Antennaria rosea</i> ? | Asteraceae |
| Field Chamomile | <i>Anthemis arvensis</i> | Asteraceae |
| Burdock | <i>Arctium minus</i> | Asteraceae |
| Arrowhead Balsamroot | <i>Balsamorhiza sagittata</i> | Asteraceae |
| Rush Skeletonweed | <i>Chondrilla juncea</i> | Asteraceae |
| Canada Thistle | <i>Cirsium arvense</i> | Asteraceae |
| Bull Thistle | <i>Cirsium vulgare</i> | Asteraceae |
| Horseweed | <i>Conyza canadensis</i> | Asteraceae |
| Yellow Desert Daisy | <i>Erigeron linearis</i> | Asteraceae |
| Oregon Sunshine | <i>Eriophyllum lanatum</i> v. <i>lanatum</i> | Asteraceae |
| Blanket Flower | <i>Gaillardia aristata</i> | Asteraceae |
| Gumweed | <i>Grindelia hirsutula</i> or <i>Grindelia squarrosa</i> | Asteraceae |
| Little Sunflower | <i>Helianthella uniflora</i> v. <i>douglasii</i> | Asteraceae |
| Western Hawkweed | <i>Hieracium albertinum</i> | Asteraceae |
| Prickly Lettuce | <i>Lactuca serriola</i> | Asteraceae |
| Common Tarweed | <i>Madia gracilis</i> | Asteraceae |
| Pineapple Weed | <i>Matricaria matricarioides</i> | Asteraceae |
| Great Swamp Groundsel | <i>Senecio hydrophilus</i> | Asteraceae |
| Tall Groundsel | <i>Senecio serra</i> | Asteraceae |
| Cow Thistle | <i>Sonchus</i> sp. | Asteraceae |
| Aster | <i>Symphyotrichum</i> sp. | Asteraceae |
| Tansy | <i>Tanacetum</i> sp. | Asteraceae |
| Salsify | <i>Tragopogon dubius</i> | Asteraceae |
| Northern Wyethia | <i>Wyethia amplexicaulis</i> | Asteraceae |
| Shining Oregon Grape | <i>Berberis aquifolium</i> | Berberidaceae |
| Creeping Oregon Grape | <i>Berberis repens</i> | Berberidaceae |
| Rigid Fiddleneck | <i>Amsinckia retrorsa</i> | Boraginaceae |
| Slender Cryptanth? ? | <i>Cryptantha affinis</i> | Boraginaceae |
| Puccoon | <i>Lithospermum ruderale</i> | Boraginaceae |
| Blue and Yellow Scorpionweed | <i>Myosotis discolor</i> | Boraginaceae |
| Shepherd's Purse | <i>Capsella bursa-pastoris</i> | Brassicaceae |

| | | |
|-------------------------|--|-----------------|
| Western Tansymustard | <i>Descurainia pinnata</i> ssp. <i>filipes</i> | Brassicaceae |
| Spring Whitlow-grass | <i>Draba verna</i> v. <i>boerhaavii</i> | Brassicaceae |
| Tumblemustard | <i>Sisymbrium altissimum</i> | Brassicaceae |
| Pennycress | <i>Thlaspi arvense</i> or <i>Thlaspi perfoliatum</i> | Brassicaceae |
| Blue Elderberry | <i>Sambucus cerulea</i> | Caprifoliaceae |
| Common Snowberry: | <i>Symporicarpos albus</i> | Caprifoliaceae |
| Douglas' Catchfly | <i>Silene douglasii</i> v. <i>douglasii</i> | Caryophyllaceae |
| Common St. John's Wort | <i>Hypericum perforatum</i> | Clusiaceae |
| Field Morning Glory | <i>Convolvulus arvensis</i> | Convolvulaceae |
| Wormleaf Stonecrop | <i>Sedum stenopetalum</i> | Crassulaceae |
| Bigroot | <i>Marah oreganus</i> | Cucurbitaceae |
| Thick-headed Sedge | <i>Carex pachystachya</i> | Cyperaceae |
| Woolly Sedge | <i>Carex pellita</i> | Cyperaceae |
| Teasel | <i>Dipsacus sylvestris</i> | Dipsacaceae |
| Woollypod Milkvetch | <i>Astragalus purshii</i> v. | Fabaceae |
| Nevada Pea ? | <i>Lathyrus lanszwertii</i> | Fabaceae |
| Spanish Clover | <i>Lotus unifoliolatus</i> | Fabaceae |
| Whitish Lupine | <i>Lupinus leucophyllus</i> | Fabaceae |
| Silky Lupine | <i>Lupinus sericeus</i> | Fabaceae |
| Locust | <i>Robinia hispida</i> or <i>Robinia pseudoacacia</i> | Fabaceae |
| Hairy Vetch | <i>Vicia villosa</i> | Fabaceae |
| Filaree | <i>Erodium cicutarium</i> | Geraniaceae |
| Sticky Purple Geranium | <i>Geranium viscosissimum</i> | Geraniaceae |
| Wax Currant | <i>Ribes cereum</i> | Grossulariaceae |
| Mock Orange | <i>Philadelphus lewisii</i> | Hydrangeaceae |
| Western Flag | <i>Iris missouriensis</i> | Iridaceae |
| Inflated Grasswidow | <i>Olsynium douglasii</i> v. <i>inflatum</i> | Iridaceae |
| Sierra Rush | <i>Juncus nevadensis</i> v. <i>nevadensis</i> | Juncaceae |
| Nettle-leaf Horse-mint | <i>Agastache urticifolia</i> | Lamiaceae |
| Self-heal | <i>Prunella vulgaris</i> v. <i>vulgaris</i> | Lamiaceae |
| Tapertip Onion | <i>Allium acuminatum</i> | Liliaceae |
| Common Camas | <i>Camassia quamash</i> v. | Liliaceae |
| Glacier Lily | <i>Erythronium grandiflorum</i> v. <i>candidum</i> | Liliaceae |
| White False Hellebore | <i>Veratrum californicum</i> | Liliaceae |
| Panicle Death Camas | <i>Zigadenus paniculatus</i> | Liliaceae |
| Oregon Checkermallow | <i>Sidalcea oregana</i> v. <i>procera</i> | Malvaceae |
| Elkhorns Clarkia | <i>Clarkia pulchella</i> | Onagraceae |
| Mountain Lady's Slipper | <i>Cypripedium montanum</i> | Orchidaceae |
| Rein Orchid | <i>Piperia</i> (<i>elegans</i> or <i>unaliaschensis</i>) | Orchidaceae |
| Ponderosa Pine | <i>Pinus ponderosa</i> | Pinaceae |
| Cheatgrass | <i>Bromus tectorum</i> | Poaceae |
| California Oatgrass | <i>Danthonia californica</i> | Poaceae |
| Medusahead | <i>Taeniatherum caput-medusae</i> | Poaceae |
| Narrowleaf Collomia | <i>Collomia linearis</i> | Polemoniaceae |
| Midget Phlox | <i>Microsteris gracilis</i> | Polemoniaceae |
| Needle-leaf Navarretia | <i>Navarretia intertexta</i> v. | Polemoniaceae |
| Showy Phlox | <i>Phlox speciosa</i> | Polemoniaceae |
| Wyeth Buckwheat | <i>Eriogonum heracloides</i> v. <i>heracloides</i> | Polygonaceae |
| Red Sorrel | <i>Rumex acetosella</i> | Polygonaceae |

| | | |
|--|--|------------------|
| Curly Dock | <i>Rumex crispus</i> | Polygonaceae |
| Miner's Lettuce | <i>Claytonia parviflora</i> | Portulacaceae |
| Line-leaf Montia | <i>Montia linearis</i> | Portulacaceae |
| Lace Lipfern | <i>Cheilanthes gracillima</i> | Pteridaceae |
| Serviceberry | <i>Amelanchier alnifolia</i> v. | Rosaceae |
| Douglas' Hawthorn | <i>Crataegus douglasii</i> v. | Rosaceae |
| Prairie Smoke | <i>Geum triflorum</i> v. <i>ciliatum</i> | Rosaceae |
| Oregon Crab Apple | <i>Malus fusca</i> | Rosaceae |
| Domestic Apple | <i>Malus</i> sp. | Rosaceae |
| Glandular Cinquefoil | <i>Potentilla arguta</i> v. <i>convallaria</i> | Rosaceae |
| Graceful Cinquefoil | <i>Potentilla gracilis</i> v. <i>fastigiata</i> | Rosaceae |
| Chokecherry | <i>Prunus virginiana</i> v. <i>melanocarpa</i> | Rosaceae |
| Rose | <i>Rosa eglanteria</i> ? | Rosaceae |
| Rose | <i>Rosa</i> sp. | Rosaceae |
| Pearhip Rose | <i>Rosa woodsii</i> v. <i>ultramontana</i> | Rosaceae |
| Harrison's Rose | <i>Rosa x harisonii</i> | Rosaceae |
| Blackcap, Red raspberry? | <i>Rubus leucodermis</i> (<i>Rubus idaeus</i> ?) | Rosaceae |
| Annual Burnet | <i>Sanguisorba annua</i> | Rosaceae |
| Shiny-leaf Spiraea | <i>Spiraea betulifolia</i> v. | Rosaceae |
| Annual Bedstraw, Cleavers | <i>Galium aparine</i> | Rubiaceae |
| Northern Bedstraw | <i>Galium boreale</i> | Rubiaceae |
| Fragrant Bedstraw ? | <i>Galium triflorum</i> | Rubiaceae |
| Black Cottonwood | <i>Populus balsamifera</i> ssp. <i>trichocarpa</i> | Salicaceae |
| Great Plains Cottonwood | <i>Populus deltoides</i> or <i>P. nigra</i> ? | Salicaceae |
| Scouler's Willow | <i>Salix scouleriana</i> | Salicaceae |
| Pale Bastard Toad-flax | <i>Comandra umbellata</i> v. <i>pallida</i> | Santalaceae |
| Round-leaf Alumroot | <i>Heuchera cylindrica</i> v. <i>glabella</i> | Saxifragaceae |
| Red Besseya | <i>Besseya rubra</i> | Scrophulariaceae |
| Cusick's Paintbrush | <i>Castilleja cusickii</i> | Scrophulariaceae |
| Common Toad-flax | <i>Linaria vulgaris</i> | Scrophulariaceae |
| Sulphur Penstemon (Yellow flowered form) | <i>Penstemon attenuatus</i> v. <i>attenuatus</i> | Scrophulariaceae |
| Common Mullein | <i>Verbascum thapsus</i> | Scrophulariaceae |
| Common Speedwell | <i>Veronica arvensis</i> | Scrophulariaceae |